

Table 4B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Iowa
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Adair	213	91.1	0.0	5.6	0.0	0.5	2.8	0.0
Adams	125	90.4	0.0	8.0	0.0	0.0	1.6	0.0
Allamakee	542	64.8	1.7	32.1	0.2	0.4	0.9	0.0
Appanoose	332	92.8	0.6	2.1	0.0	0.6	3.9	0.0
Audubon	119	93.3	0.0	3.4	0.0	0.0	3.4	0.0
Benton	352	88.9	0.3	5.7	0.0	0.0	2.8	2.3
Blackhawk	4,593	50.8	23.0	14.2	0.3	1.3	9.8	0.6
Boone	364	88.2	0.3	6.0	0.0	0.0	2.2	3.3
Bremer	260	91.9	1.2	5.0	0.0	0.4	1.5	0.0
Buchanan	394	89.1	0.3	6.3	0.0	0.0	3.8	0.5
Buena Vist	953	27.8	4.7	58.4	0.0	7.8	1.2	0.1
Butler	158	95.6	0.6	3.2	0.6	0.0	0.0	0.0
Calhoun	129	90.7	0.0	4.7	0.0	0.0	4.7	0.0
Carroll	457	81.8	2.6	13.1	0.0	0.0	2.4	0.0
Cass	408	83.3	0.2	10.5	0.5	3.7	1.7	0.0
Cedar	167	91.0	0.6	4.8	0.0	0.0	3.6	0.0
Cerro Gord	1,319	77.8	3.1	13.5	0.1	0.5	4.9	0.2
Cherokee	305	82.3	1.3	12.1	0.0	0.3	3.9	0.0
Chickasaw	178	68.0	1.7	26.4	0.0	0.0	3.9	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Iowa
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Clarke	376	54.8	0.0	44.1	0.0	0.0	0.8	0.3
Clay	537	79.0	2.0	16.9	0.2	0.6	1.3	0.0
Clayton	311	92.9	1.3	3.9	0.0	0.3	0.6	1.0
Clinton	1,380	75.4	5.1	10.3	0.0	0.4	8.5	0.3
Crawford	865	27.9	2.2	67.9	0.1	0.6	1.2	0.2
Dallas	986	53.1	2.3	40.9	0.0	0.8	2.8	0.0
Davis	96	*	*	*	*	*	*	*
Decatur	310	88.1	2.9	7.4	0.0	0.6	1.0	0.0
Delaware	250	91.2	0.0	5.2	0.0	0.4	2.8	0.4
Des Moines	1,346	68.5	12.1	6.8	0.1	0.4	12.0	0.0
Dickinson	229	87.8	0.0	8.7	0.0	1.3	1.7	0.4
Dubuque	2,284	74.9	11.8	6.8	0.2	2.5	3.8	0.0
Emmet	320	62.2	0.9	35.9	0.0	0.0	0.9	0.0
Fayette	482	90.5	0.6	5.8	0.0	0.2	2.9	0.0
Floyd	393	75.8	6.6	12.2	0.0	1.8	3.6	0.0
Franklin	302	36.4	0.0	62.6	0.0	0.0	1.0	0.0
Fremont	124	82.3	0.8	16.1	0.0	0.0	0.8	0.0
Greene	207	91.3	0.0	6.3	0.0	0.0	2.4	0.0
Grundy	86	*	*	*	*	*	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Iowa
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Guthrie	123	80.5	0.0	15.4	0.0	0.0	4.1	0.0
Hamilton	418	66.3	0.5	25.6	0.0	4.5	2.6	0.5
Hancock	177	75.1	0.0	22.6	0.0	0.6	1.7	0.0
Hardin	422	77.7	0.5	14.2	0.5	0.0	1.7	5.5
Harrison	238	91.2	0.0	8.0	0.0	0.0	0.4	0.4
Henry	444	74.5	2.5	16.7	0.0	1.4	5.0	0.0
Howard	238	89.9	0.0	9.7	0.0	0.0	0.4	0.0
Humboldt	238	71.0	0.8	26.9	0.0	0.0	0.8	0.4
Ida	212	92.5	0.9	6.1	0.0	0.0	0.5	0.0
Iowa	209	67.5	1.0	28.7	0.0	0.0	2.9	0.0
Jackson	290	84.5	0.3	5.9	0.3	1.4	7.6	0.0
Jasper	787	86.3	1.1	6.7	0.0	0.3	1.4	4.2
Jefferson	349	89.4	1.1	6.0	0.0	1.4	1.7	0.3
Johnson	2,447	45.3	19.9	24.6	0.2	3.5	6.4	0.0
Jones	295	90.2	0.7	7.1	0.0	0.3	1.7	0.0
Keokuk	146	93.8	2.7	2.7	0.0	0.0	0.7	0.0
Kossuth	299	88.0	0.3	8.7	0.0	0.0	3.0	0.0
Lee	886	85.3	3.4	4.2	0.0	0.5	6.5	0.1
Linn	4,952	57.9	12.0	11.2	0.1	1.2	12.9	4.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Iowa
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Louisa	295	32.9	0.7	59.0	0.0	5.4	1.0	1.0
Lucas	304	88.8	0.0	2.6	0.0	0.0	1.6	6.9
Lyon	198	85.4	0.0	13.6	0.0	0.0	1.0	0.0
Madison	288	94.1	0.7	4.2	0.3	0.0	0.7	0.0
Mahaska	671	85.5	2.5	8.3	0.1	0.3	2.4	0.7
Marion	791	83.3	1.5	5.8	0.0	0.6	3.3	5.4
Marshall	2,035	38.6	2.6	52.9	0.3	1.5	1.7	2.4
Mills	252	92.9	0.0	4.0	0.4	0.0	2.4	0.4
Mitchell	150	94.0	0.0	5.3	0.0	0.0	0.7	0.0
Monona	201	85.6	1.5	7.0	3.5	0.0	2.5	0.0
Monroe	231	85.3	0.4	6.1	0.4	0.0	3.9	3.9
Montgomery	312	84.0	0.0	14.1	0.0	0.0	1.6	0.3
Muscatine	1,642	55.4	2.6	41.5	0.0	0.2	0.4	0.0
O'Brien	335	71.0	1.2	25.4	0.0	0.3	2.1	0.0
Osceola	143	67.8	0.7	30.8	0.7	0.0	0.0	0.0
Page	464	90.3	0.4	7.8	0.0	0.0	1.5	0.0
Palo Alto	209	87.6	2.4	8.6	0.0	1.0	0.5	0.0
Plymouth	411	79.1	0.5	17.8	0.5	0.7	1.5	0.0
Pocahontas	133	83.5	0.8	13.5	0.8	0.0	1.5	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Iowa
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Polk	11,147	41.1	16.8	32.2	0.1	3.8	6.0	0.1
Pottawatta	3,422	71.8	2.1	21.4	0.1	0.4	4.1	0.1
Poweshiek	400	82.8	1.8	11.8	0.0	0.3	0.8	2.8
Ringgold	86	*	*	*	*	*	*	*
Sac	132	85.6	0.8	10.6	0.0	0.0	3.0	0.0
Scott	5,138	58.8	20.6	11.5	0.1	2.1	7.0	0.0
Shelby	207	86.0	0.5	12.1	0.0	1.0	0.5	0.0
Sioux	1,066	53.1	0.9	44.2	0.0	0.0	1.6	0.2
Story	1,716	64.2	9.1	12.3	0.4	5.7	3.7	4.7
Tama	488	47.5	0.2	34.2	12.3	0.6	2.5	2.7
Taylor	188	70.7	0.0	27.7	0.0	0.0	1.6	0.0
Union	457	87.3	1.8	6.6	0.0	0.9	3.5	0.0
Van Buren	106	94.3	0.0	2.8	0.0	0.0	0.9	1.9
Wapello	1,976	70.5	1.7	25.6	0.0	0.9	1.3	0.0
Warren	866	83.0	0.7	7.6	0.0	0.1	3.7	4.8
Washington	309	58.9	1.6	35.3	0.0	0.3	3.9	0.0
Wayne	157	89.8	0.0	3.8	0.0	0.0	1.3	5.1
Webster	1,286	67.3	4.8	18.4	0.2	0.3	8.3	0.5
Winnebago	274	79.6	0.4	17.2	0.0	0.7	2.2	0.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 4B
2010 Pediatric Nutrition Surveillance ⁽¹⁾

Iowa
Comparison of Racial and Ethnic Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Racial and Ethnic Distribution								
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races %	All Other / Unknown %
Winneshiek	249	84.7	2.4	11.6	0.0	0.0	1.2	0.0
Woodbury	4,688	42.3	4.2	41.2	3.8	2.3	6.2	0.0
Worth	78	*	*	*	*	*	*	*
Wright	500	49.8	0.2	47.6	0.0	0.6	1.8	0.0
Unknown Counties	1	*	*	*	*	*	*	*
Iowa	79,424	61.9	8.3	21.9	0.4	1.6	5.1	0.8
Nation (Prior Year)	8,938,527	31.8	18.7	40.6	0.9	2.6	2.5	3.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Iowa
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Adair	213	29.1	17.4	53.5
Adams	125	37.6	18.4	44.0
Allamakee	542	32.8	17.7	49.4
Appanoose	332	36.1	22.9	41.0
Audubon	119	38.7	18.5	42.9
Benton	352	34.1	19.9	46.0
Blackhawk	4,593	34.2	19.0	46.8
Boone	364	32.1	16.8	51.1
Bremer	260	26.2	23.5	50.4
Buchanan	394	34.0	20.3	45.7
Buena Vist	953	34.0	19.2	46.8
Butler	158	29.1	22.8	48.1
Calhoun	129	34.9	15.5	49.6
Carroll	457	40.3	15.3	44.4
Cass	408	35.5	20.8	43.6
Cedar	167	34.7	18.0	47.3
Cerro Gord	1,319	33.7	19.6	46.6
Cherokee	305	31.1	20.7	48.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Iowa
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Chickasaw	178	33.7	17.4	48.9
Clarke	376	35.4	20.5	44.1
Clay	537	31.8	20.9	47.3
Clayton	311	33.4	19.6	46.9
Clinton	1,380	42.8	16.9	40.4
Crawford	865	35.4	18.7	45.9
Dallas	986	35.8	17.4	46.8
Davis	96	*	*	*
Decatur	310	34.5	17.4	48.1
Delaware	250	37.2	14.4	48.4
Des Moines	1,346	37.3	20.4	42.3
Dickinson	229	38.9	16.6	44.5
Dubuque	2,284	37.9	18.5	43.6
Emmet	320	31.9	23.8	44.4
Fayette	482	32.6	19.3	48.1
Floyd	393	28.2	23.7	48.1
Franklin	302	34.4	18.5	47.0
Fremont	124	41.9	18.5	39.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Iowa
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Greene	207	41.1	15.5	43.5
Grundy	86	*	*	*
Guthrie	123	36.6	16.3	47.2
Hamilton	418	32.8	21.5	45.7
Hancock	177	31.1	22.0	46.9
Hardin	422	31.5	21.8	46.7
Harrison	238	35.3	16.0	48.7
Henry	444	33.8	20.0	46.2
Howard	238	28.6	14.7	56.7
Humboldt	238	31.5	13.0	55.5
Ida	212	33.0	19.8	47.2
Iowa	209	29.2	18.2	52.6
Jackson	290	36.6	17.2	46.2
Jasper	787	35.8	19.8	44.3
Jefferson	349	32.1	19.8	48.1
Johnson	2,447	35.0	19.1	45.9
Jones	295	37.3	17.3	45.4
Keokuk	146	27.4	17.1	55.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Iowa
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Kossuth	299	35.5	18.7	45.8
Lee	886	37.6	19.6	42.8
Linn	4,952	36.4	19.2	44.4
Louisa	295	33.6	19.3	47.1
Lucas	304	26.3	19.4	54.3
Lyon	198	26.3	20.7	53.0
Madison	288	31.9	16.3	51.7
Mahaska	671	29.1	21.8	49.2
Marion	791	29.3	20.5	50.2
Marshall	2,035	33.5	18.3	48.2
Mills	252	35.7	20.2	44.0
Mitchell	150	34.7	18.0	47.3
Monona	201	29.4	19.4	51.2
Monroe	231	30.7	17.3	51.9
Montgomery	312	39.4	16.0	44.6
Muscatine	1,642	33.4	19.2	47.3
O'Brien	335	33.7	19.7	46.6
Osceola	143	26.6	23.8	49.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Iowa
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Page	464	34.9	20.7	44.4
Palo Alto	209	32.5	20.1	47.4
Plymouth	411	31.9	16.8	51.3
Pocahontas	133	30.1	25.6	44.4
Polk	11,147	33.9	20.8	45.3
Pottawatta	3,422	37.5	19.4	43.1
Poweshiek	400	34.8	23.0	42.3
Ringgold	86	*	*	*
Sac	132	33.3	19.7	47.0
Scott	5,138	38.2	17.6	44.2
Shelby	207	36.2	18.8	44.9
Sioux	1,066	31.2	19.3	49.4
Story	1,716	38.2	17.1	44.6
Tama	488	33.2	19.9	46.9
Taylor	188	31.4	18.6	50.0
Union	457	35.7	18.2	46.2
Van Buren	106	35.8	17.9	46.2
Wapello	1,976	34.6	19.3	46.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 5B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Iowa
Comparison of Age Distribution by County
Children Aged < 5 Years ⁽²⁾

Comparison of Age Distribution				
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Warren	866	30.9	19.7	49.3
Washington	309	33.7	18.4	47.9
Wayne	157	33.8	19.1	47.1
Webster	1,286	33.0	18.1	48.9
Winnebago	274	32.1	16.4	51.5
Winneshiek	249	35.3	19.7	45.0
Woodbury	4,688	35.6	19.0	45.3
Worth	78	*	*	*
Wright	500	31.6	19.6	48.8
Unknown Counties	1	*	*	*
Iowa	79,424	34.9	19.2	45.9
Nation (Prior Year)	8,938,527	34.5	22.6	42.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Adair	40	* *	* *	211	6.6 (71)	3.3 (60)	19.9 (94)	111	14.4 (14)	18.0 (60)	162	4.9 (44)
Adams	29	* *	* *	124	9.7 (94)	4.0 (75)	19.4 (93)	54	* *	* *	89	* *
Allamakee	108	5.6 (1)	5.6 (3)	529	5.5 (49)	1.9 (20)	16.3 (77)	256	21.1 (65)	16.4 (50)	401	4.5 (40)
Appanoose	78	* *	* *	322	4.7 (23)	5.3 (89)	16.5 (79)	129	9.3 (1)	17.1 (54)	230	3.0 (13)
Audubon	30	* *	* *	116	7.8 (85)	6.0 (94)	15.5 (67)	47	* *	* *	85	* *
Benton	71	* *	* *	342	5.3 (45)	3.5 (64)	15.5 (67)	154	18.2 (46)	13.0 (25)	134	2.2 (9)
Blackhawk	985	10.7 (25)	4.9 (1)	4,476	5.4 (48)	4.3 (77)	13.1 (40)	2,114	16.9 (37)	13.1 (28)	2,205	3.7 (24)
Boone	65	* *	* *	356	5.6 (51)	2.5 (30)	15.2 (63)	185	15.1 (22)	13.0 (25)	173	8.1 (69)
Bremer	45	* *	* *	255	4.3 (18)	3.5 (64)	10.6 (13)	131	16.8 (36)	15.3 (42)	141	0.0 (1)
Buchanan	89	* *	* *	384	6.0 (59)	3.1 (51)	10.7 (14)	173	14.5 (18)	9.8 (6)	190	3.7 (24)
Buena Vist	211	5.7 (2)	5.7 (4)	937	3.7 (11)	3.4 (62)	15.4 (65)	443	18.5 (50)	17.8 (58)	679	2.7 (11)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Butler	33	* *	* *	156	3.2 (6)	3.2 (56)	14.7 (58)	78	* *	* *	109	5.5 (51)
Calhoun	26	* *	* *	129	8.5 (89)	3.9 (70)	11.6 (20)	63	* *	* *	95	* *
Carroll	90	* *	* *	448	2.2 (3)	2.0 (22)	11.4 (18)	203	19.2 (56)	11.8 (12)	338	3.3 (18)
Cass	81	* *	* *	401	9.0 (92)	1.5 (9)	18.0 (90)	179	20.1 (61)	22.9 (71)	305	1.6 (5)
Cedar	33	* *	* *	165	4.8 (25)	3.0 (46)	14.5 (57)	80	* *	* *	122	8.2 (70)
Cerro Gord	294	5.8 (3)	10.9 (26)	1,292	4.5 (19)	4.7 (84)	12.8 (34)	595	18.2 (46)	13.6 (32)	819	4.0 (31)
Cherokee	57	* *	* *	303	6.6 (71)	3.0 (46)	14.2 (54)	146	17.8 (43)	12.3 (19)	227	3.1 (14)
Chickasaw	39	* *	* *	177	4.5 (19)	1.7 (15)	15.8 (72)	86	* *	* *	105	3.8 (27)
Clarke	71	* *	* *	369	6.0 (59)	1.9 (20)	17.9 (88)	158	18.4 (49)	19.0 (69)	274	15.0 (84)
Clay	103	7.8 (15)	5.8 (5)	534	4.9 (30)	1.5 (9)	11.2 (16)	257	17.9 (44)	12.8 (24)	392	1.8 (6)
Clayton	64	* *	* *	307	7.5 (83)	1.6 (11)	12.4 (29)	144	22.9 (71)	11.8 (12)	216	4.6 (41)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Clinton	367	7.1 (8)	8.4 (19)	1,347	6.3 (64)	1.8 (17)	14.0 (51)	541	18.7 (51)	12.6 (22)	916	5.0 (45)
Crawford	192	7.3 (11)	7.3 (12)	845	5.3 (45)	1.8 (17)	21.1 (95)	376	22.6 (70)	22.6 (70)	623	7.5 (67)
Dallas	227	8.4 (18)	11.5 (29)	966	4.7 (23)	2.7 (39)	14.8 (59)	441	15.0 (21)	15.6 (46)	722	4.2 (35)
Davis	15	* *	* *	92	* *	* *	* *	47	* *	* *	67	* *
Decatur	57	* *	* *	305	7.2 (81)	4.6 (82)	17.0 (84)	149	18.8 (52)	18.8 (66)	229	10.9 (82)
Delaware	49	* *	* *	245	4.5 (19)	5.3 (89)	8.6 (1)	119	16.0 (26)	9.2 (4)	188	5.3 (48)
Des Moines	341	7.0 (7)	7.0 (11)	1,322	5.7 (54)	4.3 (77)	11.6 (20)	543	16.0 (26)	12.5 (20)	822	10.5 (78)
Dickinson	53	* *	* *	226	5.8 (57)	2.7 (39)	10.2 (9)	95	* *	* *	146	4.1 (34)
Dubuque	504	7.1 (8)	10.1 (24)	2,250	3.4 (7)	5.7 (91)	8.6 (1)	993	14.4 (14)	10.0 (7)	1,707	10.6 (79)
Emmet	63	* *	* *	314	4.8 (25)	3.2 (56)	14.0 (51)	144	16.7 (35)	14.6 (37)	236	5.5 (51)
Fayette	84	* *	* *	478	6.3 (64)	0.8 (2)	15.3 (64)	227	16.3 (30)	15.4 (44)	361	5.5 (51)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Floyd	73	* *	* *	386	4.9 (30)	3.1 (51)	12.7 (33)	186	18.8 (52)	14.0 (36)	275	6.2 (61)
Franklin	61	* *	* *	295	2.7 (4)	2.4 (27)	14.2 (54)	141	9.9 (2)	17.0 (53)	195	5.1 (47)
Fremont	23	* *	* *	124	6.5 (67)	4.8 (86)	10.5 (11)	48	* *	* *	90	* *
Greene	47	* *	* *	204	3.9 (13)	3.4 (62)	15.7 (71)	88	* *	* *	153	2.0 (8)
Grundy	8	* *	* *	86	* *	* *	* *	42	* *	* *	42	* *
Guthrie	21	* *	* *	123	5.7 (54)	3.3 (60)	13.8 (48)	60	* *	* *	96	* *
Hamilton	85	* *	* *	414	6.0 (59)	3.9 (70)	11.8 (23)	185	11.4 (5)	11.9 (14)	312	4.2 (35)
Hancock	38	* *	* *	173	3.5 (9)	4.6 (82)	10.4 (10)	82	* *	* *	114	1.8 (6)
Hardin	95	* *	* *	407	7.1 (78)	4.2 (76)	16.7 (81)	197	18.3 (48)	18.8 (66)	320	3.8 (27)
Harrison	48	* *	* *	233	6.0 (59)	2.6 (33)	15.9 (73)	111	23.4 (72)	15.3 (42)	168	5.4 (50)
Henry	110	7.3 (11)	10.9 (26)	437	3.9 (13)	1.6 (11)	10.1 (7)	199	16.6 (32)	10.6 (8)	282	4.6 (41)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Howard	41	* *	* *	236	3.8 (12)	0.8 (2)	14.4 (56)	129	26.4 (73)	14.7 (39)	178	5.6 (55)
Humboldt	48	* *	* *	235	6.8 (73)	3.8 (69)	17.0 (84)	124	13.7 (13)	18.5 (62)	181	3.3 (18)
Ida	37	* *	* *	210	4.8 (25)	0.5 (1)	12.9 (35)	97	* *	* *	159	3.1 (14)
Iowa	42	* *	* *	199	9.5 (93)	4.5 (81)	18.1 (92)	101	21.8 (67)	18.8 (66)	145	3.4 (21)
Jackson	53	* *	* *	287	4.2 (17)	3.5 (64)	12.2 (25)	129	10.1 (3)	14.7 (39)	222	5.0 (45)
Jasper	157	8.9 (21)	10.2 (25)	761	7.8 (85)	2.6 (33)	12.9 (35)	339	12.7 (8)	11.2 (10)	634	2.8 (12)
Jefferson	70	* *	* *	346	4.9 (30)	2.0 (22)	10.1 (7)	166	21.1 (65)	8.4 (3)	249	3.2 (16)
Johnson	600	12.5 (28)	9.7 (23)	2,367	5.3 (45)	4.4 (80)	11.3 (17)	1,088	16.5 (31)	12.0 (16)	1,688	6.2 (61)
Jones	65	* *	* *	292	6.5 (67)	5.8 (92)	13.0 (38)	135	12.6 (7)	18.5 (62)	216	6.9 (63)
Keokuk	21	* *	* *	143	4.9 (30)	4.9 (87)	13.3 (42)	83	* *	* *	77	* *
Kossuth	76	* *	* *	295	5.1 (39)	4.7 (84)	12.2 (25)	137	15.3 (24)	13.9 (34)	197	5.6 (55)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)	≥ 2 Yrs Over-weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lee	207	6.3 (6)	6.8 (9)	867	3.6 (10)	3.9 (70)	13.3 (42)	376	14.4 (14)	14.6 (37)	557	8.4 (71)
Linn	1,121	9.3 (22)	7.5 (14)	4,802	5.6 (51)	2.4 (27)	12.0 (24)	2,178	19.2 (56)	12.6 (22)	3,405	10.8 (81)
Louisa	74	* *	* *	290	5.2 (41)	2.1 (25)	17.9 (88)	135	14.8 (19)	24.4 (73)	198	9.6 (75)
Lucas	57	* *	* *	294	3.4 (7)	5.1 (88)	12.9 (35)	155	17.4 (41)	16.1 (48)	234	12.0 (83)
Lyon	36	* *	* *	189	8.5 (89)	2.1 (25)	16.4 (78)	100	21.0 (64)	16.0 (47)	154	3.9 (29)
Madison	62	* *	* *	283	4.9 (30)	3.9 (70)	12.4 (29)	145	11.0 (4)	7.6 (1)	212	9.9 (76)
Mahaska	127	8.7 (19)	6.3 (7)	650	7.1 (78)	3.7 (68)	13.7 (46)	328	12.2 (6)	11.0 (9)	547	5.9 (58)
Marion	140	7.1 (8)	9.3 (22)	773	6.5 (67)	2.6 (33)	12.3 (28)	400	16.0 (26)	13.5 (31)	583	4.6 (41)
Marshall	392	8.2 (17)	8.2 (18)	1,956	5.2 (41)	2.8 (44)	17.5 (87)	949	17.9 (44)	17.8 (58)	1,307	5.5 (51)
Mills	58	* *	* *	249	6.8 (73)	2.4 (27)	14.1 (53)	112	17.0 (38)	12.5 (20)	181	3.9 (29)
Mitchell	31	* *	* *	149	2.7 (4)	2.7 (39)	10.7 (14)	73	* *	* *	92	* *

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Monona	40	* *	* *	195	8.7 (91)	3.1 (51)	13.8 (48)	103	20.4 (63)	13.6 (32)	151	6.0 (59)
Monroe	43	* *	* *	229	5.2 (41)	3.5 (64)	16.6 (80)	121	19.8 (60)	23.1 (72)	172	5.8 (57)
Montgomery	69	* *	* *	303	4.0 (15)	3.0 (46)	16.2 (76)	137	15.3 (24)	18.2 (61)	223	7.2 (65)
Muscatine	357	10.9 (26)	5.0 (2)	1,598	7.3 (82)	1.3 (7)	17.1 (86)	745	16.6 (32)	17.3 (56)	1,021	8.8 (73)
O Brien	75	* *	* *	332	4.8 (25)	3.9 (70)	13.0 (38)	157	13.4 (12)	13.4 (30)	225	3.6 (23)
Osceola	24	* *	* *	140	0.7 (1)	1.4 (8)	15.0 (62)	71	* *	* *	104	1.0 (3)
Page	98	* *	* *	459	5.0 (37)	3.1 (51)	12.2 (25)	202	21.8 (67)	17.3 (56)	336	4.2 (35)
Palo Alto	44	* *	* *	203	4.9 (30)	2.0 (22)	9.4 (4)	96	* *	* *	153	0.7 (2)
Plymouth	74	* *	* *	408	10.8 (95)	1.0 (5)	13.7 (46)	205	15.1 (22)	13.2 (29)	306	3.3 (18)
Pocahontas	27	* *	* *	133	4.5 (19)	3.0 (46)	10.5 (11)	58	* *	* *	98	* *
Polk	2,594	8.8 (20)	7.7 (16)	10,936	5.9 (58)	2.7 (39)	13.2 (41)	4,922	17.0 (38)	16.1 (48)	7,643	10.6 (79)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pottawatta	819	9.3 (22)	6.3 (7)	3,343	5.6 (51)	3.0 (46)	13.5 (44)	1,457	19.4 (58)	16.7 (52)	2,429	6.1 (60)
Poweshiek	93	* *	* *	390	8.2 (88)	2.6 (33)	15.9 (73)	167	13.2 (11)	11.4 (11)	325	4.0 (31)
Ringgold	20	* *	* *	82	* *	* *	* *	38	* *	* *	59	* *
Sac	30	* *	* *	129	6.2 (63)	0.8 (2)	12.4 (29)	60	* *	* *	98	* *
Scott	1,169	7.4 (13)	7.6 (15)	5,060	5.2 (41)	2.6 (33)	11.5 (19)	2,249	17.3 (40)	13.0 (25)	3,944	18.2 (85)
Shelby	50	* *	* *	200	7.0 (76)	2.5 (30)	12.5 (32)	91	* *	* *	145	3.4 (21)
Sioux	229	6.1 (5)	7.4 (13)	1,052	4.9 (30)	1.8 (17)	14.8 (59)	525	20.2 (62)	13.9 (34)	786	2.4 (10)
Story	370	11.9 (27)	8.1 (17)	1,663	5.1 (39)	4.3 (77)	11.7 (22)	759	14.4 (14)	12.1 (17)	779	7.3 (66)
Tama	106	15.1 (30)	12.3 (30)	475	4.8 (25)	2.5 (30)	16.8 (83)	220	19.5 (59)	15.5 (45)	380	3.7 (24)
Taylor	42	* *	* *	186	8.1 (87)	1.6 (11)	16.7 (81)	93	* *	* *	133	9.0 (74)
Union	103	5.8 (3)	6.8 (9)	448	6.9 (75)	3.1 (51)	13.8 (48)	205	19.0 (54)	12.2 (18)	323	8.4 (71)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Van Buren	26	* *	* *	100	7.0 (76)	8.0 (95)	10.0 (6)	46	* *	* *	64	* *
Wapello	422	7.6 (14)	8.5 (20)	1,936	5.7 (54)	3.2 (56)	15.4 (65)	908	16.6 (32)	18.6 (64)	892	4.0 (31)
Warren	176	14.8 (29)	9.1 (21)	849	7.5 (83)	2.8 (44)	15.9 (73)	421	19.0 (54)	15.0 (41)	633	10.4 (77)
Washington	67	* *	* *	303	1.7 (2)	5.9 (93)	9.6 (5)	145	13.1 (10)	9.7 (5)	223	7.6 (68)
Wayne	33	* *	* *	155	7.1 (78)	3.2 (56)	15.5 (67)	75	* *	* *	113	4.4 (39)
Webster	266	9.4 (24)	11.3 (28)	1,267	6.5 (67)	2.7 (39)	13.5 (44)	631	17.7 (42)	17.1 (54)	964	1.3 (4)
Winnebago	57	* *	* *	271	5.5 (49)	2.6 (33)	8.9 (3)	139	22.3 (69)	7.9 (2)	186	3.2 (16)
Winneshiek	50	* *	* *	244	4.1 (16)	1.2 (6)	14.8 (59)	109	12.8 (9)	11.9 (14)	174	6.9 (63)
Woodbury	1,040	7.8 (15)	5.9 (6)	4,595	5.0 (37)	1.7 (15)	15.5 (67)	2,076	16.2 (29)	16.5 (51)	3,403	5.3 (48)
Worth	14	* *	* *	78	* *	* *	* *	37	* *	* *	51	* *
Wright	96	* *	* *	489	6.3 (64)	1.6 (11)	18.0 (90)	236	14.8 (19)	18.6 (64)	379	4.2 (35)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2010 Pediatric Nutrition Surveillance (1)
Iowa
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Iowa	17,441	8.8	7.6	77,729	5.5	3.0	13.5	35,783	17.2	14.7	53,886	7.5
Nation (Prior Year)	1,961,342	8.9	6.4	8,451,215	6.0	4.3	14.0	3,678,355	16.4	14.7	5,524,196	14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2010 Pediatric Nutrition Surveillance (1)
Iowa**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County (2)
Children Aged < 5 Years (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)				
Adair	41	* *	30	* *	24	* *	30	* *	30	* *	120	82.5 (49)	206	11.7 (64)
Adams	29	* *	32	* *	23	* *	32	* *	32	* *	60	* *	120	18.3 (79)
Allamakee	108	69.4 (4)	98	* *	84	* *	91	* *	95	* *	281	87.2 (21)	520	10.0 (58)
Appanoose	80	* *	68	* *	61	* *	50	* *	67	* *	150	75.3 (70)	326	21.2 (87)
Audubon	30	* *	25	* *	18	* *	21	* *	24	* *	46	* *	112	9.8 (57)
Benton	75	* *	66	* *	42	* *	51	* *	64	* *	172	86.0 (29)	329	9.1 (49)
Blackhawk	1,023	58.2 (18)	844	14.9 (14)	703	8.1 (12)	676	12.3 (11)	827	6.5 (13)	2,145	80.3 (57)	4,292	7.5 (36)
Boone	68	* *	60	* *	47	* *	40	* *	58	* *	180	86.1 (25)	360	9.4 (53)
Bremer	46	* *	43	* *	38	* *	31	* *	40	* *	132	89.4 (9)	249	6.0 (23)
Buchanan	92	* *	78	* *	64	* *	67	* *	78	* *	187	88.8 (14)	374	7.0 (30)
Buena Vist	214	66.4 (6)	207	15.9 (12)	135	9.6 (10)	177	7.3 (19)	206	2.4 (26)	447	79.2 (62)	942	9.3 (51)
Butler	33	* *	26	* *	16	* *	23	* *	26	* *	83	* *	147	4.8 (13)
Calhoun	26	* *	25	* *	17	* *	27	* *	24	* *	59	* *	126	8.7 (48)

- (1) Reporting period is January 1 through December 31.
 - (2) TV Viewing and Smoking in Household data are not reported by all contributors.
 - (3) Analyses based on one record per child.
 - (4) Excludes records with unknown data or errors.
 - (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
 - (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
 - (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household					
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)				
Carroll	91	* *	90	* *	53	* *	80	* *	84	* *	188	86.2 (24)	420	8.3 (43)
Cass	82	* *	72	* *	64	* *	75	* *	70	* *	188	80.9 (56)	399	7.0 (30)
Cedar	33	* *	30	* *	19	* *	25	* *	30	* *	2	* *	156	13.5 (73)
Cerro Gord	298	40.9 (31)	249	11.6 (18)	201	8.0 (13)	195	13.8 (6)	244	7.0 (9)	629	83.1 (46)	1,246	5.9 (19)
Cherokee	58	* *	60	* *	51	* *	41	* *	58	* *	144	88.2 (15)	301	5.6 (17)
Chickasaw	40	* *	41	* *	30	* *	33	* *	41	* *	90	* *	169	7.7 (38)
Clarke	72	* *	78	* *	56	* *	77	* *	78	* *	175	78.3 (65)	359	8.1 (41)
Clay	104	65.4 (8)	107	14.0 (15)	79	* *	83	* *	107	7.5 (7)	268	85.1 (32)	533	19.3 (82)
Clayton	66	* *	56	* *	53	* *	52	* *	54	* *	145	89.7 (8)	299	19.7 (83)
Clinton	373	56.0 (22)	313	9.6 (24)	192	5.7 (21)	321	5.9 (25)	311	3.2 (24)	18	* *	1,254	17.6 (76)
Crawford	193	61.7 (14)	136	18.4 (8)	114	4.4 (25)	171	7.0 (20)	132	3.0 (25)	388	77.1 (68)	837	6.0 (23)
Dallas	229	78.2 (2)	182	23.1 (4)	119	12.6 (5)	179	13.4 (8)	176	5.1 (18)	417	83.9 (39)	955	2.4 (4)
Davis	15	* *	15	* *	13	* *	10	* *	15	* *	53	* *	96	* *

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2010 Pediatric Nutrition Surveillance (1)
Iowa**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)**

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	% Breastfed At Least 3 Months	Number	% Breastfed At Least 6 Months	Number	%		
		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		(Rank)		
Decatur	57	* *	60	* *	33	* *	55	* *	60	* *	158	83.5 (43)	292	17.1 (75)
Delaware	51	* *	36	* *	33	* *	40	* *	36	* *	118	100.0 (1)	228	1.8 (2)
Des Moines	348	49.1 (27)	257	10.1 (22)	231	7.4 (15)	236	13.6 (7)	250	7.2 (8)	581	83.8 (40)	1,275	10.9 (61)
Dickinson	54	* *	49	* *	28	* *	34	* *	47	* *	95	* *	225	23.1 (91)
Dubuque	510	47.1 (28)	494	11.5 (20)	322	7.1 (16)	441	12.0 (12)	483	6.6 (12)	1,029	98.9 (3)	2,099	1.6 (1)
Emmet	66	* *	63	* *	57	* *	48	* *	63	* *	143	83.2 (45)	313	21.1 (86)
Fayette	84	* *	98	* *	87	* *	70	* *	98	* *	240	86.3 (23)	453	23.2 (92)
Floyd	74	* *	71	* *	71	* *	50	* *	69	* *	199	77.9 (66)	381	9.7 (55)
Franklin	61	* *	58	* *	41	* *	45	* *	58	* *	151	76.8 (69)	280	4.6 (11)
Fremont	23	* *	22	* *	24	* *	21	* *	22	* *	49	* *	123	13.0 (70)
Greene	47	* *	42	* *	27	* *	43	* *	41	* *	86	* *	201	6.5 (28)
Grundy	8	* *	13	* *	17	* *	4	* *	12	* *	46	* *	83	* *
Guthrie	21	* *	24	* *	21	* *	21	* *	24	* *	55	* *	118	5.9 (19)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Hamilton	87	* *	77	* *	72	* *	58	* *	75	* *	200	85.5 (31)	410	22.9 (90)
Hancock	38	* *	40	* *	30	* *	29	* *	38	* *	89	* *	170	5.9 (19)
Hardin	100	50.0 (25)	69	* *	58	* *	57	* *	67	* *	212	82.5 (49)	411	14.6 (74)
Harrison	48	* *	41	* *	26	* *	44	* *	41	* *	112	84.8 (34)	230	10.9 (61)
Henry	110	50.9 (24)	90	* *	59	* *	87	* *	90	* *	216	87.5 (17)	433	9.5 (54)
Howard	41	* *	48	* *	37	* *	44	* *	48	* *	135	88.9 (13)	224	12.1 (65)
Humboldt	48	* *	36	* *	26	* *	31	* *	35	* *	138	84.8 (34)	236	4.7 (12)
Ida	37	* *	47	* *	28	* *	38	* *	47	* *	61	* *	205	9.3 (51)
Iowa	42	* *	24	* *	24	* *	21	* *	24	* *	103	87.4 (20)	198	8.6 (46)
Jackson	53	* *	53	* *	34	* *	61	* *	53	* *	2	* *	266	17.7 (77)
Jasper	170	58.8 (17)	121	11.6 (18)	101	6.9 (19)	117	6.8 (23)	117	6.8 (10)	356	84.3 (37)	761	7.2 (33)
Jefferson	70	* *	57	* *	57	* *	47	* *	55	* *	177	88.1 (16)	343	22.2 (89)
Johnson	615	72.2 (3)	367	31.1 (1)	328	17.7 (2)	323	23.8 (1)	347	11.8 (4)	1,061	85.0 (33)	2,326	4.2 (10)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Jones	66	* *	61	* *	37	* *	48	* *	59	* *	112	100.0 (1)	268	4.1 (9)
Keokuk	21	* *	24	* *	20	* *	18	* *	23	* *	86	* *	144	30.6 (94)
Kossuth	76	* *	58	* *	48	* *	39	* *	57	* *	145	84.8 (34)	283	2.8 (5)
Lee	210	44.3 (29)	194	8.2 (25)	137	5.8 (20)	161	9.9 (15)	191	4.7 (19)	396	84.1 (38)	844	13.0 (70)
Linn	1,211	61.8 (13)	1,012	16.5 (10)	754	10.3 (8)	824	12.6 (10)	994	6.5 (13)	1,613	89.2 (10)	4,600	4.9 (14)
Louisa	76	* *	49	* *	36	* *	53	* *	47	* *	144	87.5 (17)	283	9.2 (50)
Lucas	61	* *	35	* *	42	* *	28	* *	31	* *	168	79.8 (58)	297	7.7 (38)
Lyon	37	* *	38	* *	34	* *	25	* *	36	* *	70	* *	191	7.9 (40)
Madison	62	* *	42	* *	40	* *	44	* *	41	* *	154	90.3 (6)	276	7.6 (37)
Mahaska	139	41.7 (30)	91	* *	105	7.6 (14)	94	* *	90	* *	340	83.8 (40)	651	11.1 (63)
Marion	149	55.0 (23)	151	20.5 (6)	128	14.8 (3)	118	22.0 (2)	150	14.7 (2)	426	78.4 (64)	776	7.1 (32)
Marshall	432	65.3 (9)	329	15.5 (13)	278	10.1 (9)	323	6.2 (24)	320	4.1 (20)	1,029	81.5 (55)	1,966	5.2 (15)
Mills	59	* *	35	* *	34	* *	54	* *	35	* *	120	87.5 (17)	250	7.2 (33)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Mitchell	32	* *	32	* *	17	* *	28	* *	32	* *	73	* *	139	7.2 (33)
Monona	40	* *	26	* *	26	* *	35	* *	23	* *	103	78.6 (63)	196	10.7 (59)
Monroe	44	* *	42	* *	30	* *	30	* *	42	* *	124	83.1 (46)	230	12.2 (66)
Montgomery	70	* *	46	* *	32	* *	63	* *	46	* *	142	79.6 (59)	308	12.7 (68)
Muscatine	357	65.8 (7)	322	17.1 (9)	281	9.3 (11)	301	11.6 (13)	310	6.8 (10)	780	94.2 (4)	1,567	26.4 (93)
O Brien	75	* *	71	* *	49	* *	60	* *	71	* *	163	86.5 (22)	330	13.3 (72)
Osceola	24	* *	22	* *	21	* *	20	* *	22	* *	71	* *	142	19.0 (80)
Page	99	* *	108	7.4 (26)	89	* *	102	6.9 (21)	106	5.7 (17)	213	90.1 (7)	461	8.5 (45)
Palo Alto	46	* *	39	* *	34	* *	30	* *	38	* *	97	* *	207	21.7 (88)
Plymouth	74	* *	71	* *	59	* *	59	* *	71	* *	187	86.1 (25)	402	5.7 (18)
Pocahontas	28	* *	25	* *	20	* *	18	* *	24	* *	57	* *	132	18.2 (78)
Polk	2,623	68.4 (5)	2,031	22.0 (5)	1,771	14.3 (4)	1,650	6.9 (21)	2,003	3.7 (22)	3,099	77.8 (67)	10,382	5.5 (16)
Pottawatta	836	56.6 (21)	648	9.7 (23)	511	4.9 (24)	611	9.3 (17)	639	3.3 (23)	1,566	81.6 (54)	3,198	3.8 (8)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)			Exclusive Breastfeeding (7)			≤2 Hours TV Viewing/Day (8)		Smoking in Household					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)				
Poweshiek	97	* *	78	* *	73	* *	70	* *	74	* *	176	79.5 (60)	392	10.7 (59)
Ringgold	20	* *	17	* *	11	* *	14	* *	16	* *	41	* *	80	* *
Sac	30	* *	25	* *	23	* *	25	* *	24	* *	57	* *	127	3.1 (7)
Scott	1,178	57.0 (19)	949	13.8 (16)	797	7.0 (17)	1,088	9.7 (16)	936	6.2 (15)	2,359	83.8 (40)	4,974	20.7 (85)
Shelby	50	* *	48	* *	30	* *	53	* *	48	* *	94	* *	205	6.3 (26)
Sioux	234	80.8 (1)	186	25.8 (3)	158	12.0 (7)	151	18.5 (5)	181	8.8 (6)	465	89.0 (11)	1,032	2.0 (3)
Story	403	64.5 (10)	297	26.6 (2)	245	18.0 (1)	221	21.3 (3)	291	15.5 (1)	716	82.0 (52)	1,661	6.1 (25)
Tama	112	63.4 (11)	64	* *	55	* *	74	* *	63	* *	239	82.4 (51)	477	5.9 (19)
Taylor	43	* *	23	* *	21	* *	22	* *	23	* *	98	* *	181	2.8 (5)
Union	104	50.0 (25)	84	* *	64	* *	88	* *	83	* *	218	83.5 (43)	440	12.7 (68)
Van Buren	27	* *	21	* *	12	* *	16	* *	21	* *	50	* *	104	32.7 (95)
Wapello	436	59.2 (16)	368	16.0 (11)	300	7.0 (17)	314	12.7 (9)	356	9.0 (5)	933	85.9 (30)	1,946	19.1 (81)
Warren	183	63.4 (11)	175	19.4 (7)	127	12.6 (5)	124	20.2 (4)	171	14.0 (3)	141	79.4 (61)	851	6.8 (29)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Washington	68	* *	52	* *	47	* *	50	* *	51	* *	144	86.1 (25)	300	9.7 (55)
Wayne	34	* *	29	* *	29	* *	19	* *	29	* *	77	* *	153	20.3 (84)
Webster	268	56.7 (20)	251	10.4 (21)	186	5.4 (22)	197	11.2 (14)	249	6.0 (16)	664	89.0 (11)	1,269	12.3 (67)
Winnebago	58	* *	47	* *	36	* *	35	* *	46	* *	146	82.9 (48)	260	8.1 (41)
Winneshiek	51	* *	52	* *	38	* *	42	* *	50	* *	115	90.4 (5)	227	8.4 (44)
Woodbury	1,059	60.4 (15)	833	12.0 (17)	638	5.3 (23)	813	7.5 (18)	819	3.8 (21)	2,172	86.1 (25)	4,246	6.3 (26)
Worth	14	* *	19	* *	19	* *	13	* *	19	* *	40	* *	75	* *
Wright	97	* *	84	* *	65	* *	66	* *	82	* *	259	81.9 (53)	488	8.6 (46)
Unknown Counties	1	* *	0	* *	0	* *	0	* *	0	* *	0	* *	0	* *
Iowa	17,896	60.6	14,692	16.4	11,795	9.8	13,054	11.4	14,404	6.4	33,261	84.3	75,422	9.3
Nation (Prior Year)	1,769,160	61.7	911,779	27.0	1,092,573	18.5	317,037	9.9	420,655	5.3	1,022,933	77.3	4,355,723	10.2

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Iowa
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Adair	122	9.8 (66)	9.8 (68)	636	5.0 (29)	3.0 (56)	17.0 (82)	310	15.5 (24)	14.8 (45)		489	9.6 (85)
Adams	89	* *	* *	377	6.9 (82)	4.0 (83)	15.4 (67)	176	15.9 (29)	14.2 (37)		275	6.9 (67)
Allamakee	318	9.4 (62)	8.5 (52)	1,585	6.8 (81)	1.6 (7)	16.6 (79)	751	19.3 (75)	17.6 (81)		1,171	7.4 (73)
Appanoose	242	9.5 (64)	8.7 (56)	1,038	5.8 (55)	5.9 (99)	15.0 (60)	451	14.6 (15)	15.7 (64)		607	4.8 (47)
Audubon	89	* *	* *	340	6.2 (65)	3.5 (72)	11.2 (7)	146	21.9 (93)	10.3 (3)		241	2.5 (13)
Benton	223	6.7 (14)	11.2 (80)	1,013	5.5 (45)	3.5 (72)	14.9 (58)	453	18.5 (64)	15.2 (55)		438	4.3 (39)
Blackhawk	3,078	10.2 (71)	6.0 (14)	13,352	5.8 (55)	4.0 (83)	13.5 (36)	6,074	17.0 (44)	13.5 (27)		6,800	4.3 (39)
Boone	220	11.4 (79)	7.7 (38)	1,081	6.5 (70)	1.9 (17)	14.7 (56)	514	15.8 (26)	14.8 (45)		504	7.3 (72)
Bremer	155	10.3 (74)	5.2 (5)	816	5.9 (58)	2.8 (52)	12.9 (31)	403	17.9 (59)	15.1 (50)		484	0.8 (1)
Buchanan	251	7.2 (23)	7.6 (35)	1,112	6.0 (60)	2.7 (45)	12.1 (18)	496	17.1 (46)	10.5 (5)		583	2.4 (8)
Buena Vist	620	5.6 (5)	5.5 (7)	2,819	3.8 (7)	3.1 (61)	16.3 (76)	1,339	16.4 (35)	19.0 (88)		2,053	4.4 (42)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Iowa
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Butler	111	7.2 (23)	7.2 (33)	463	3.7 (5)	3.5 (72)	16.4 (78)	220	20.5 (86)	15.5 (59)	316	3.8 (34)
Calhoun	101	18.8 (85)	6.9 (29)	387	7.2 (86)	3.1 (61)	13.2 (33)	179	17.9 (59)	15.6 (62)	274	2.9 (18)
Carroll	296	8.4 (45)	6.8 (28)	1,285	4.2 (15)	1.6 (7)	11.2 (7)	534	19.5 (76)	10.7 (7)	942	2.5 (13)
Cass	251	10.8 (76)	9.6 (67)	1,192	7.6 (91)	1.3 (2)	19.0 (92)	523	20.7 (89)	22.6 (96)	912	6.1 (58)
Cedar	109	6.4 (11)	9.2 (60)	549	4.4 (20)	2.4 (31)	12.8 (30)	251	15.9 (29)	10.4 (4)	398	5.5 (56)
Cerro Gord	903	8.3 (43)	10.0 (70)	3,917	5.2 (37)	4.6 (92)	13.5 (36)	1,770	19.0 (70)	15.0 (48)	2,500	3.7 (30)
Cherokee	190	6.8 (18)	4.7 (3)	937	5.0 (29)	2.7 (45)	12.5 (26)	434	19.8 (81)	13.1 (21)	702	3.3 (24)
Chickasaw	108	6.5 (12)	6.5 (18)	515	5.0 (29)	2.7 (45)	14.8 (57)	252	19.8 (81)	14.7 (40)	311	3.9 (36)
Clarke	259	8.9 (53)	5.8 (11)	1,097	6.7 (77)	4.4 (88)	14.6 (53)	465	15.3 (19)	17.4 (77)	776	12.2 (95)
Clay	374	7.8 (34)	5.9 (12)	1,708	5.3 (39)	2.5 (39)	12.0 (14)	781	17.8 (57)	13.2 (24)	1,214	2.1 (5)
Clayton	205	7.3 (28)	10.2 (72)	929	6.6 (75)	2.0 (19)	13.6 (40)	450	20.0 (84)	14.7 (40)	640	7.2 (70)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Iowa
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Clinton	1,018	8.5 (49)	6.7 (23)	3,912	6.6 (75)	1.5 (5)	15.4 (67)	1,596	18.9 (68)	14.2 (37)	2,666	5.0 (51)
Crawford	539	6.7 (14)	7.1 (30)	2,496	3.8 (7)	2.0 (19)	20.3 (97)	1,097	21.2 (91)	23.3 (98)	1,897	6.7 (65)
Dallas	648	9.4 (62)	8.5 (52)	2,920	4.4 (20)	2.1 (24)	14.6 (53)	1,304	17.4 (51)	15.7 (64)	2,195	3.7 (30)
Davis	53	* *	* *	297	7.4 (89)	1.7 (13)	11.8 (10)	158	17.1 (46)	15.2 (55)	166	3.0 (22)
Decatur	186	10.8 (76)	8.1 (44)	934	8.8 (99)	3.2 (63)	19.1 (93)	451	19.1 (73)	17.5 (78)	708	9.2 (80)
Delaware	154	8.4 (45)	7.8 (42)	756	5.3 (39)	4.5 (90)	10.7 (4)	351	14.8 (16)	10.8 (8)	583	8.1 (77)
Des Moines	1,001	6.9 (19)	7.7 (38)	4,001	5.8 (55)	3.2 (63)	12.1 (18)	1,660	16.7 (40)	12.8 (18)	2,468	10.2 (88)
Dickinson	168	5.4 (3)	11.9 (83)	673	6.4 (68)	2.5 (39)	10.5 (2)	290	23.4 (97)	11.4 (11)	431	3.7 (30)
Dubuque	1,597	7.0 (21)	9.8 (68)	6,868	3.8 (7)	4.4 (88)	10.3 (1)	3,044	15.9 (29)	11.3 (10)	5,208	12.2 (95)
Emmet	212	9.0 (56)	6.6 (21)	951	4.8 (25)	3.0 (56)	14.5 (50)	446	17.0 (44)	15.0 (48)	686	4.2 (37)
Fayette	303	8.9 (53)	7.9 (43)	1,413	5.5 (45)	1.6 (7)	15.3 (66)	649	16.6 (38)	15.9 (67)	1,024	4.9 (50)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Iowa
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Floyd	239	7.5 (31)	10.9 (79)	1,131	5.1 (34)	3.3 (67)	13.9 (46)	527	16.9 (42)	13.9 (32)	809	5.2 (54)
Franklin	205	5.4 (3)	10.7 (77)	949	3.8 (7)	3.4 (70)	13.7 (43)	441	14.3 (13)	14.7 (40)	648	3.7 (30)
Fremont	89	* *	* *	393	4.6 (24)	2.5 (39)	17.6 (89)	167	22.2 (94)	18.6 (87)	285	6.3 (59)
Greene	147	9.5 (64)	9.5 (64)	635	5.2 (37)	1.3 (2)	14.2 (48)	287	17.1 (46)	17.8 (82)	467	1.1 (2)
Grundy	45	* *	* *	274	8.4 (97)	5.8 (98)	12.0 (14)	133	14.3 (13)	17.3 (76)	131	2.3 (6)
Guthrie	82	* *	* *	399	4.0 (13)	2.0 (19)	13.0 (32)	180	11.7 (1)	13.9 (32)	293	2.4 (8)
Hamilton	274	8.4 (45)	4.4 (2)	1,224	6.9 (82)	4.0 (83)	11.5 (9)	563	17.6 (53)	11.5 (12)	901	4.6 (45)
Hancock	116	6.9 (19)	10.3 (75)	537	2.8 (2)	3.9 (81)	13.6 (40)	266	13.2 (8)	9.8 (2)	369	3.3 (24)
Hardin	269	8.6 (50)	4.8 (4)	1,194	6.7 (77)	4.1 (86)	16.8 (81)	550	16.9 (42)	17.5 (78)	914	5.1 (53)
Harrison	166	6.0 (9)	7.2 (33)	758	7.7 (92)	2.1 (24)	15.6 (73)	332	23.2 (96)	17.2 (75)	550	6.4 (60)
Henry	302	6.6 (13)	9.3 (62)	1,324	4.0 (13)	1.6 (7)	12.7 (29)	604	14.9 (17)	13.7 (30)	874	7.7 (75)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Iowa
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)													
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)			
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Howard	139	2.2 (1)	3.6 (1)	666	5.3 (39)	1.4 (4)	13.2 (33)	324	26.2 (98)	13.6 (28)		472	6.8 (66)
Humboldt	146	11.6 (81)	6.2 (15)	719	6.3 (67)	4.2 (87)	13.5 (36)	372	19.1 (73)	15.6 (62)		565	2.7 (15)
Ida	121	9.1 (58)	6.6 (21)	628	4.9 (27)	1.6 (7)	11.8 (10)	306	12.7 (4)	8.8 (1)		484	2.9 (18)
Iowa	130	11.5 (80)	5.4 (6)	604	7.8 (94)	5.6 (97)	19.7 (96)	289	21.1 (90)	22.1 (94)		446	6.5 (61)
Jackson	182	9.9 (68)	7.1 (30)	937	4.3 (17)	2.5 (39)	14.9 (58)	426	13.8 (10)	14.1 (34)		717	5.0 (51)
Jasper	504	8.7 (51)	9.5 (64)	2,278	7.2 (86)	2.7 (45)	14.2 (48)	1,017	16.3 (34)	14.5 (39)		1,854	2.8 (17)
Jefferson	225	3.6 (2)	11.6 (82)	1,090	4.8 (25)	3.7 (80)	12.5 (26)	519	18.3 (62)	10.6 (6)		656	6.6 (62)
Johnson	1,735	10.3 (74)	8.5 (52)	7,033	5.6 (54)	3.9 (81)	11.8 (10)	3,181	16.6 (38)	12.3 (15)		5,083	8.1 (77)
Jones	196	9.2 (59)	8.7 (56)	913	6.7 (77)	5.0 (95)	12.5 (26)	423	12.8 (5)	14.7 (40)		685	9.5 (83)
Keokuk	71	* *	* *	416	6.5 (70)	3.4 (70)	13.2 (33)	218	19.7 (79)	15.1 (50)		226	3.1 (23)
Kossuth	203	5.9 (7)	8.4 (48)	847	5.9 (58)	4.5 (90)	12.4 (24)	402	17.7 (55)	12.9 (19)		586	3.4 (26)

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Iowa
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lee	642	7.9 (36)	6.7 (23)	2,660	5.5 (45)	3.6 (79)	13.6 (40)	1,101	15.4 (21)	14.7 (40)	1,691	9.2 (80)
Linn	3,363	8.9 (53)	8.7 (56)	14,235	5.5 (45)	2.7 (45)	12.2 (22)	6,376	18.4 (63)	13.1 (21)	10,090	11.1 (93)
Louisa	187	5.9 (7)	10.2 (72)	908	5.0 (29)	2.5 (39)	17.0 (82)	422	18.7 (66)	21.8 (93)	652	12.3 (97)
Lucas	166	7.2 (23)	8.4 (48)	916	3.8 (7)	3.5 (72)	14.5 (50)	466	15.9 (29)	15.7 (64)	727	11.0 (92)
Lyon	105	6.7 (14)	10.5 (76)	561	5.3 (39)	1.6 (7)	15.5 (71)	284	15.8 (26)	15.5 (59)	445	4.7 (46)
Madison	193	9.8 (66)	8.3 (46)	871	6.1 (61)	3.2 (63)	14.6 (53)	429	12.8 (5)	12.4 (17)	645	10.1 (86)
Mahaska	410	7.1 (22)	7.6 (35)	1,940	7.1 (85)	2.7 (45)	16.3 (76)	922	13.1 (7)	13.6 (28)	1,637	7.8 (76)
Marion	475	7.2 (23)	10.7 (77)	2,379	6.5 (70)	2.9 (54)	14.0 (47)	1,176	16.2 (33)	15.1 (50)	1,751	6.9 (67)
Marshall	1,263	7.7 (32)	10.2 (72)	5,986	5.4 (44)	2.4 (31)	19.5 (94)	2,867	18.5 (64)	19.8 (90)	4,551	5.5 (56)
Mills	185	9.2 (59)	7.6 (35)	771	7.3 (88)	2.3 (28)	17.1 (85)	335	19.7 (79)	18.2 (84)	562	4.8 (47)
Mitchell	98	* *	* *	429	3.7 (5)	2.8 (52)	10.5 (2)	198	12.1 (3)	12.1 (14)	286	2.4 (8)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Iowa
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Monona	129	14.7 (84)	6.2 (15)	693	7.4 (89)	2.3 (28)	16.0 (75)	377	21.2 (91)	16.4 (71)	551	6.9 (67)
Monroe	135	6.7 (14)	6.7 (23)	699	4.9 (27)	3.3 (67)	17.2 (87)	336	19.0 (70)	20.2 (91)	510	9.2 (80)
Montgomery	212	9.9 (68)	9.0 (59)	991	5.0 (29)	3.0 (56)	19.5 (94)	460	15.4 (21)	22.2 (95)	757	9.1 (79)
Muscatine	1,145	8.7 (51)	7.1 (30)	4,878	6.2 (65)	1.7 (13)	17.1 (85)	2,224	17.9 (59)	17.5 (78)	3,202	10.5 (89)
O'Brien	229	10.0 (70)	8.3 (46)	1,004	4.2 (15)	3.5 (72)	12.1 (18)	460	15.0 (18)	14.1 (34)	682	3.5 (27)
Osceola	85	* *	* *	414	2.7 (1)	2.4 (31)	15.2 (65)	199	15.6 (25)	15.1 (50)	293	2.4 (8)
Page	358	7.8 (34)	5.6 (9)	1,426	6.1 (61)	2.9 (54)	20.3 (97)	606	20.6 (88)	22.6 (96)	1,015	5.2 (54)
Palo Alto	140	5.7 (6)	11.4 (81)	610	3.9 (12)	3.3 (67)	10.8 (5)	269	14.1 (12)	12.3 (15)	437	1.8 (4)
Plymouth	254	12.2 (82)	5.9 (12)	1,200	8.3 (95)	1.7 (13)	13.7 (43)	555	13.5 (9)	15.9 (67)	887	3.5 (27)
Pocahontas	88	* *	* *	415	2.9 (3)	2.4 (31)	11.1 (6)	196	15.3 (19)	13.3 (25)	295	2.4 (8)
Polk	8,075	8.4 (45)	7.7 (38)	32,638	5.5 (45)	3.0 (56)	13.5 (36)	14,262	16.5 (37)	14.9 (47)	22,870	11.5 (94)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Iowa
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under-weight (7)	Obese (7)		≥ 2 Yrs Over-weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Pottawatta	2,383	9.0 (56)	6.3 (17)	9,723	5.5 (45)	2.7 (45)	13.7 (43)	4,276	19.9 (83)	16.8 (74)	6,964	6.6 (62)
Poweshiek	281	6.0 (9)	10.0 (70)	1,204	6.5 (70)	2.4 (31)	18.6 (91)	536	17.4 (51)	16.6 (73)	1,012	4.2 (37)
Ringgold	56	* *	* *	285	6.7 (77)	3.2 (63)	20.7 (99)	150	14.0 (11)	21.3 (92)	219	10.5 (89)
Sac	84	* *	* *	429	4.4 (20)	2.1 (24)	14.5 (50)	204	17.6 (53)	19.6 (89)	336	2.7 (15)
Scott	3,547	8.2 (41)	8.4 (48)	15,151	5.5 (45)	2.4 (31)	12.1 (18)	6,652	17.3 (50)	13.0 (20)	11,851	16.2 (99)
Shelby	178	7.3 (28)	5.6 (9)	687	7.7 (92)	2.6 (44)	15.6 (73)	290	19.0 (70)	16.2 (69)	488	4.5 (43)
Sioux	640	7.3 (28)	9.2 (60)	3,060	4.3 (17)	2.4 (31)	15.0 (60)	1,494	18.9 (68)	15.5 (59)	2,315	3.5 (27)
Story	1,149	9.2 (59)	8.1 (44)	4,939	6.1 (61)	3.5 (72)	12.4 (24)	2,235	15.8 (26)	10.8 (8)	2,489	7.6 (74)
Tama	295	10.2 (71)	14.2 (85)	1,419	4.3 (17)	2.0 (19)	17.7 (90)	663	19.5 (76)	16.4 (71)	1,161	4.3 (39)
Taylor	107	11.2 (78)	6.5 (18)	538	6.5 (70)	1.7 (13)	17.5 (88)	257	18.7 (66)	17.9 (83)	398	10.1 (86)
Union	327	8.3 (43)	6.7 (23)	1,406	8.3 (95)	2.1 (24)	15.1 (63)	641	17.8 (57)	13.1 (21)	1,027	10.5 (89)

- (1) Reporting period is January 1 through December 31.
 - (2) Analyses based on one record per child.
 - (3) Excludes records with unknown data or errors.
 - (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
 - (5) Infants born during the reporting period included in the analysis.
 - (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
 - (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
 - (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Iowa
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number
Van Buren	72	* *	* *	316	4.4 (20)	4.7 (94)	12.3 (23)	154	11.7 (1)	11.7 (13)	208	2.9 (18)
Wapello	1,286	7.9 (36)	7.7 (38)	5,730	5.3 (39)	3.5 (72)	15.4 (67)	2,594	16.4 (35)	18.2 (84)	2,581	4.8 (47)
Warren	510	10.2 (71)	8.6 (55)	2,502	8.4 (97)	2.4 (31)	15.5 (71)	1,229	19.6 (78)	15.1 (50)	1,890	9.5 (83)
Washington	209	7.7 (32)	6.7 (23)	968	3.6 (4)	4.6 (92)	12.0 (14)	462	15.4 (21)	14.1 (34)	726	12.4 (98)
Wayne	107	13.1 (83)	8.4 (48)	492	6.9 (82)	2.0 (19)	15.0 (60)	224	22.3 (95)	15.2 (55)	364	6.6 (62)
Webster	903	7.2 (23)	9.5 (64)	3,988	6.4 (68)	2.3 (28)	15.4 (67)	1,857	17.7 (55)	16.2 (69)	3,014	1.7 (3)
Winnebago	183	8.2 (41)	9.3 (62)	832	6.1 (61)	3.0 (56)	12.0 (14)	394	20.3 (85)	13.7 (30)	559	3.8 (34)
Winneshiek	175	8.0 (38)	12.6 (84)	846	5.1 (34)	1.9 (17)	17.0 (82)	390	20.5 (86)	13.3 (25)	597	7.2 (70)
Woodbury	3,189	8.1 (39)	6.5 (18)	13,544	5.1 (34)	1.5 (5)	15.1 (63)	5,996	17.1 (46)	15.4 (58)	9,903	4.5 (43)
Worth	54	* *	* *	218	5.5 (45)	5.0 (95)	11.9 (13)	96	* *	* *	131	2.3 (6)
Wright	307	8.1 (39)	5.5 (7)	1,477	5.5 (45)	1.2 (1)	16.7 (80)	694	16.7 (40)	18.3 (86)	1,109	2.9 (18)

- (1) Reporting period is January 1 through December 31.
(2) Analyses based on one record per child.
(3) Excludes records with unknown data or errors.
(4) Rank compares this county's rate to other counties. Rank 1 = best rate.
(5) Infants born during the reporting period included in the analysis.
(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.
(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 6B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Iowa
Comparison of Growth and Anemia Indicators by County
Children Aged < 5 Years (2)

Comparison of Growth and Anemia Indicators (3,4)												
County	Birthweight (5)			Height and Weight						Anemia Low Hb/Hct (8)		
	Low	High		Short Stature (6)	Under- weight (7)	Obese (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% ≥95th (Rank)	Number
Unknown Counties	2	* *	* *	7	* *	* *	* *	3	* *	* *	4	* *
Iowa	53,760	8.5	7.9	233,703	5.5	2.9	14.1	105,556	17.4	14.9	162,559	7.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this county's rate to other counties. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and ≥ 95th percentile category identifies obese children.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



**Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Iowa**

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (2) (3)**

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Adair	136	53.7 (58)	128	20.3 (23)	107	13.1 (18)	124	11.3 (38)	124	6.5 (42)	327	83.5 (59)	326	28.5 (82)
Adams	88	* *	82	* *	63	* *	81	* *	78	* *	193	79.3 (89)	195	31.3 (93)
Allamakee	370	71.4 (4)	342	36.0 (1)	288	25.3 (1)	327	21.4 (4)	325	12.3 (8)	811	90.6 (8)	855	18.1 (21)
Appanoose	270	50.7 (67)	255	9.8 (84)	219	3.2 (77)	236	9.7 (54)	247	4.5 (72)	489	84.5 (51)	568	36.1 (98)
Audubon	105	66.7 (12)	85	* *	60	* *	89	* *	84	* *	142	83.1 (65)	201	23.9 (66)
Benton	275	65.5 (14)	251	17.5 (36)	181	6.6 (71)	230	11.7 (33)	241	5.8 (58)	471	88.5 (19)	564	23.2 (60)
Blackhawk	3,315	59.4 (36)	3,005	17.0 (39)	2,426	10.2 (35)	2,837	11.7 (33)	2,894	7.0 (38)	5,937	80.5 (86)	7,071	20.5 (37)
Boone	258	61.2 (31)	247	21.9 (18)	196	11.7 (28)	210	10.5 (48)	230	6.1 (52)	458	86.7 (29)	611	16.9 (16)
Bremer	184	68.5 (9)	186	21.0 (21)	154	13.6 (15)	162	15.4 (17)	178	11.8 (10)	385	88.8 (18)	440	18.4 (24)
Buchanan	288	62.2 (26)	257	15.2 (57)	222	11.3 (31)	238	13.0 (25)	250	6.8 (40)	526	89.0 (16)	597	22.8 (53)
Buena Vist	704	62.8 (22)	660	19.1 (30)	515	12.0 (26)	609	5.9 (80)	625	3.0 (79)	1,417	78.6 (93)	1,571	13.1 (6)
Butler	127	34.6 (91)	111	16.2 (49)	84	* *	114	10.5 (48)	110	6.4 (45)	233	81.5 (77)	271	28.0 (79)
Calhoun	108	58.3 (41)	91	* *	67	* *	95	* *	87	* *	174	87.9 (24)	218	22.9 (55)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Carroll	364	62.4 (25)	326	13.2 (73)	217	5.1 (73)	321	8.4 (66)	311	3.5 (75)	515	84.7 (48)	715	23.4 (63)
Cass	286	51.4 (63)	278	14.0 (67)	227	9.7 (41)	263	12.9 (26)	258	7.0 (38)	571	82.1 (73)	660	20.0 (33)
Cedar	134	61.9 (27)	128	14.8 (63)	96	* *	126	15.1 (19)	122	7.4 (29)	10	* *	300	20.0 (33)
Cerro Gord	989	42.9 (86)	882	14.9 (60)	742	9.8 (38)	807	10.8 (42)	839	6.0 (53)	1,848	83.3 (61)	2,168	22.8 (53)
Cherokee	216	61.1 (32)	204	17.2 (38)	166	11.4 (30)	186	15.6 (14)	196	8.7 (22)	435	90.6 (8)	508	23.0 (57)
Chickasaw	121	65.3 (15)	110	22.7 (14)	84	* *	107	6.5 (77)	110	4.5 (72)	256	85.2 (41)	268	22.4 (48)
Clarke	288	53.5 (59)	267	19.9 (25)	199	14.6 (12)	269	6.7 (76)	258	4.7 (69)	500	79.4 (88)	586	18.9 (27)
Clay	428	55.1 (51)	409	14.9 (60)	328	9.1 (47)	386	10.6 (46)	399	5.8 (58)	829	86.0 (32)	948	30.8 (90)
Clayton	220	62.7 (23)	200	27.0 (9)	168	9.5 (44)	203	20.2 (6)	188	15.4 (3)	474	88.4 (20)	520	29.8 (88)
Clinton	1,134	55.7 (50)	1,037	11.9 (77)	692	8.4 (55)	1,037	7.3 (73)	988	2.8 (81)	51	* *	2,232	22.6 (52)
Crawford	622	61.6 (28)	547	16.8 (41)	445	7.9 (59)	581	5.3 (83)	520	2.5 (83)	1,160	79.1 (90)	1,406	12.8 (5)
Dallas	731	75.9 (3)	670	25.1 (10)	526	13.1 (18)	661	13.6 (22)	646	7.1 (35)	1,287	85.4 (39)	1,590	14.5 (11)
Davis	58	* *	54	* *	45	* *	49	* *	51	* *	171	88.9 (17)	155	31.0 (91)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Decatur	212	47.6 (79)	201	17.9 (34)	156	11.5 (29)	192	11.5 (35)	195	8.2 (24)	487	83.6 (58)	503	28.0 (79)
Delaware	176	51.1 (64)	160	14.4 (65)	131	8.4 (55)	159	10.7 (44)	153	9.2 (18)	366	98.1 (3)	405	15.8 (13)
Des Moines	1,115	50.7 (67)	942	12.2 (76)	768	7.2 (67)	929	10.3 (50)	889	6.2 (50)	1,732	83.3 (61)	2,300	22.5 (50)
Dickinson	190	60.5 (33)	166	20.5 (22)	110	10.9 (32)	151	15.2 (18)	159	9.4 (16)	294	85.7 (35)	391	23.5 (64)
Dubuque	1,764	45.3 (81)	1,655	13.4 (72)	1,208	7.5 (66)	1,568	10.8 (42)	1,583	6.0 (53)	3,199	98.2 (2)	3,697	9.6 (2)
Emmet	240	57.1 (46)	223	14.8 (63)	165	8.5 (54)	207	10.1 (51)	218	1.8 (85)	465	84.1 (53)	512	24.0 (67)
Fayette	332	54.5 (53)	327	16.5 (44)	264	7.2 (67)	306	15.7 (13)	318	8.2 (24)	688	86.3 (30)	737	31.3 (93)
Floyd	281	42.3 (88)	268	19.4 (28)	237	12.7 (22)	226	10.6 (46)	248	6.5 (42)	565	78.8 (91)	617	29.2 (87)
Franklin	227	42.7 (87)	213	16.0 (51)	169	11.8 (27)	191	5.2 (84)	208	2.9 (80)	485	78.8 (91)	518	17.4 (18)
Fremont	104	48.1 (76)	87	* *	75	* *	90	* *	80	* *	169	81.1 (81)	230	20.0 (33)
Greene	174	54.0 (56)	150	10.7 (81)	111	6.3 (72)	162	11.1 (39)	148	5.4 (63)	291	84.9 (46)	368	21.2 (42)
Grundy	63	* *	67	* *	59	* *	58	* *	64	* *	149	91.9 (5)	153	22.2 (46)
Guthrie	104	71.2 (5)	100	15.0 (59)	71	* *	99	* *	100	8.0 (26)	176	83.5 (59)	233	20.6 (38)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
County	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% (Rank)	Number	% (Rank)		
Hamilton	295	55.9 (48)	274	18.6 (31)	212	9.4 (46)	244	7.0 (75)	262	5.0 (66)	594	81.0 (82)	652	31.6 (95)
Hancock	126	45.2 (82)	114	11.4 (79)	93	* *	107	12.1 (31)	110	7.3 (31)	282	85.5 (38)	286	22.4 (48)
Hardin	315	48.3 (75)	283	14.1 (66)	218	5.0 (74)	258	9.3 (57)	268	6.0 (53)	561	83.1 (65)	647	18.9 (27)
Harrison	185	62.7 (23)	175	17.7 (35)	133	9.0 (49)	182	19.8 (7)	166	9.0 (19)	342	82.7 (68)	418	28.7 (83)
Henry	330	57.3 (45)	303	16.2 (49)	244	9.8 (38)	280	11.8 (32)	290	7.2 (33)	639	85.1 (44)	714	19.3 (29)
Howard	149	71.1 (6)	144	29.9 (4)	127	8.7 (53)	137	23.4 (3)	140	13.6 (5)	340	89.4 (12)	342	24.9 (70)
Humboldt	169	54.4 (54)	149	18.1 (33)	117	17.1 (7)	139	5.8 (81)	143	2.8 (81)	402	82.6 (70)	390	20.8 (39)
Ida	138	58.7 (40)	131	8.4 (86)	98	* *	122	8.2 (67)	126	4.8 (68)	223	84.8 (47)	334	26.6 (74)
Iowa	150	65.3 (15)	130	27.7 (8)	105	21.0 (3)	107	19.6 (8)	110	14.5 (4)	292	84.6 (49)	345	18.8 (26)
Jackson	203	41.9 (89)	192	9.9 (83)	148	8.8 (51)	191	8.9 (63)	187	5.3 (65)	9	* *	502	25.5 (73)
Jasper	598	53.5 (59)	484	15.3 (55)	386	9.6 (42)	495	11.5 (35)	461	7.6 (28)	1,059	85.2 (41)	1,241	24.3 (68)
Jefferson	252	57.9 (42)	246	19.5 (27)	203	10.3 (33)	220	15.0 (21)	239	11.7 (11)	552	89.1 (15)	591	27.6 (77)
Johnson	1,928	69.7 (7)	1,478	29.6 (5)	1,213	19.1 (6)	1,394	20.7 (5)	1,362	12.2 (9)	2,966	83.3 (61)	4,099	8.5 (1)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Jones	216	50.9 (66)	201	14.9 (60)	158	7.6 (64)	186	9.7 (54)	194	7.2 (33)	419	98.3 (1)	482	13.7 (8)
Keokuk	87	* *	90	* *	70	* *	81	* *	87	* *	235	88.1 (22)	229	35.4 (96)
Kossuth	228	43.9 (83)	190	15.3 (55)	158	13.3 (17)	171	11.1 (39)	185	6.5 (42)	420	82.9 (67)	489	22.3 (47)
Lee	706	48.0 (78)	652	10.3 (82)	495	4.6 (76)	621	8.2 (67)	634	4.7 (69)	1,169	85.4 (39)	1,508	23.1 (58)
Linn	3,942	59.0 (37)	3,457	16.3 (48)	2,567	9.6 (42)	3,228	11.4 (37)	3,325	6.3 (47)	5,029	87.3 (26)	7,953	18.1 (21)
Louisa	197	64.0 (19)	169	24.9 (11)	161	16.8 (8)	168	7.7 (71)	163	5.5 (62)	450	87.3 (26)	494	18.2 (23)
Lucas	193	43.5 (85)	194	9.8 (84)	161	5.0 (74)	161	9.3 (57)	182	4.9 (67)	508	80.7 (84)	472	22.5 (50)
Lyon	122	69.7 (7)	126	29.4 (6)	112	12.5 (25)	105	24.8 (2)	115	17.4 (2)	215	91.2 (6)	311	23.2 (60)
Madison	200	55.0 (52)	189	21.2 (19)	154	13.6 (15)	182	12.6 (29)	179	7.3 (31)	455	88.1 (22)	478	23.2 (60)
Mahaska	467	39.4 (90)	411	15.8 (52)	349	10.0 (36)	393	10.7 (44)	397	8.6 (23)	968	82.2 (72)	1,017	30.0 (89)
Marion	546	56.8 (47)	522	19.9 (25)	414	12.8 (21)	483	16.8 (12)	507	12.4 (7)	1,268	80.8 (83)	1,242	21.7 (45)
Marshall	1,452	64.5 (18)	1,277	19.3 (29)	1,051	10.0 (36)	1,256	5.5 (82)	1,215	3.3 (76)	3,059	80.6 (85)	3,220	11.6 (4)
Mills	206	57.8 (43)	172	20.3 (23)	142	12.7 (22)	192	15.6 (14)	159	8.8 (21)	363	85.7 (35)	435	15.6 (12)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Mitchell	116	53.4 (61)	102	16.7 (42)	76	* *	99	* *	98	* *	205	92.2 (4)	227	22.9 (55)
Monona	141	53.9 (57)	114	18.4 (32)	99	* *	129	12.4 (30)	107	9.3 (17)	377	86.2 (31)	381	25.2 (71)
Monroe	156	46.2 (80)	158	13.9 (69)	117	6.8 (70)	138	10.9 (41)	153	5.9 (56)	365	82.7 (68)	365	27.1 (76)
Montgomery	242	61.6 (28)	203	16.7 (42)	160	8.8 (51)	222	13.1 (24)	196	7.1 (35)	493	79.5 (87)	561	18.0 (20)
Muscatine	1,231	67.3 (10)	1,136	24.6 (12)	911	19.3 (5)	1,104	9.1 (60)	1,084	5.4 (63)	2,358	90.9 (7)	2,629	28.7 (83)
O Brien	255	63.9 (20)	240	23.8 (13)	181	16.6 (9)	226	15.5 (16)	232	9.9 (14)	484	85.1 (44)	542	21.4 (44)
Osceola	103	54.4 (54)	98	* *	82	* *	95	* *	96	* *	202	81.2 (79)	217	19.8 (30)
Page	384	43.8 (84)	364	12.6 (75)	276	7.6 (64)	365	9.9 (52)	353	7.4 (29)	637	84.6 (49)	781	17.4 (18)
Palo Alto	160	57.5 (44)	151	15.2 (57)	122	9.8 (38)	139	12.9 (26)	144	9.0 (19)	284	87.0 (28)	336	27.7 (78)
Plymouth	298	61.4 (30)	270	17.4 (37)	233	10.3 (33)	258	15.1 (19)	259	9.7 (15)	503	85.7 (35)	666	20.4 (36)
Pocahontas	97	* *	89	* *	74	* *	78	* *	88	* *	201	81.6 (76)	215	31.2 (92)
Polk	8,811	66.9 (11)	7,372	22.7 (14)	6,224	13.8 (14)	6,859	7.8 (70)	7,114	4.7 (69)	9,684	77.2 (95)	17,623	14.1 (9)
Pottawatta	2,598	49.8 (71)	2,280	11.2 (80)	1,732	7.7 (63)	2,230	7.9 (69)	2,160	3.3 (76)	4,565	81.4 (78)	5,426	18.5 (25)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)														
	Breastfeeding (6)				Exclusive Breastfeeding (7)				≤2 Hours TV Viewing/Day (8)		Smoking in Household			
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% Breastfed At Least 3 Months (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)		
Poweshiek	322	50.3 (70)	284	16.5 (44)	232	7.8 (60)	284	8.8 (64)	268	6.3 (47)	561	84.1 (53)	690	24.5 (69)
Ringgold	63	* *	48	* *	34	* *	46	* *	44	* *	156	85.9 (34)	164	35.4 (96)
Sac	104	55.8 (49)	90	* *	68	* *	94	* *	87	* *	199	84.4 (52)	243	19.8 (30)
Scott	3,908	51.0 (65)	3,429	13.9 (69)	2,756	7.8 (60)	3,647	9.1 (60)	3,281	5.6 (61)	7,000	84.1 (53)	8,415	28.9 (85)
Shelby	188	59.0 (37)	182	16.5 (44)	132	8.3 (57)	185	8.6 (65)	173	6.4 (45)	300	89.3 (13)	416	23.6 (65)
Sioux	700	76.1 (2)	646	27.9 (7)	538	15.8 (11)	576	17.9 (9)	602	10.5 (13)	1,361	88.2 (21)	1,627	11.5 (3)
Story	1,356	65.3 (15)	1,140	30.4 (3)	897	21.1 (2)	994	17.9 (9)	1,051	12.6 (6)	1,910	81.9 (75)	2,806	13.2 (7)
Tama	346	63.3 (21)	283	17.0 (39)	248	12.9 (20)	290	7.2 (74)	270	4.4 (74)	714	76.5 (96)	759	16.6 (15)
Taylor	121	48.8 (74)	108	13.0 (74)	89	* *	104	7.7 (71)	101	5.9 (56)	274	77.4 (94)	288	14.2 (10)
Union	347	49.0 (73)	316	16.5 (44)	241	9.5 (44)	309	13.6 (22)	297	7.1 (35)	686	84.1 (53)	783	28.4 (81)
Van Buren	83	* *	70	* *	45	* *	69	* *	67	* *	169	89.9 (10)	178	43.3 (99)
Wapello	1,447	52.9 (62)	1,346	15.8 (52)	1,070	9.0 (49)	1,244	9.1 (60)	1,287	6.2 (50)	2,600	89.3 (13)	3,085	20.8 (39)
Warren	604	66.1 (13)	572	21.2 (19)	436	12.6 (24)	515	16.9 (11)	555	11.2 (12)	393	86.0 (32)	1,372	17.3 (17)

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this county's rate to other counties. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

(7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

(8) Children aged 2 years and older included in the analyses.

* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Table 7B
2008 - 2010 Pediatric Nutrition Surveillance (1)
Iowa

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County
Children Aged < 5 Years (3)

(2)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4,5)

County	Breastfeeding (6)		Exclusive Breastfeeding (7)		≤2 Hours TV Viewing/Day (8)		Smoking in Household							
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	% (Rank)	Number	% (Rank)				
Washington	233	58.8 (39)	199	22.1 (17)	175	14.3 (13)	191	9.4 (56)	190	6.3 (47)	441	83.2 (64)	527	23.1 (58)
Wayne	119	50.4 (69)	112	11.6 (78)	103	7.8 (60)	101	9.9 (52)	105	6.7 (41)	241	82.6 (70)	275	29.1 (86)
Webster	960	48.1 (76)	899	14.0 (67)	744	7.0 (69)	827	9.3 (57)	855	5.7 (60)	2,010	87.9 (24)	2,156	26.6 (74)
Winnebago	213	49.8 (71)	190	15.8 (52)	143	9.1 (47)	173	12.7 (28)	181	7.7 (27)	419	84.0 (57)	456	25.2 (71)
Winneshiek	191	77.5 (1)	188	34.0 (2)	147	19.7 (4)	171	25.7 (1)	173	18.5 (1)	415	89.6 (11)	477	21.2 (42)
Woodbury	3,504	59.6 (34)	2,999	13.5 (71)	2,360	8.1 (58)	3,055	6.1 (78)	2,849	3.3 (76)	6,100	85.2 (41)	7,357	16.4 (14)
Worth	65	* *	63	* *	47	* *	60	* *	63	* *	101	81.2 (79)	120	20.8 (39)
Wright	338	59.5 (35)	314	22.6 (16)	268	16.0 (10)	283	6.0 (79)	292	2.4 (84)	760	82.0 (74)	761	19.8 (30)
Unknown Counties	2	* *	1	* *	1	* *	1	* *	1	* *	2	* *	2	* *
Iowa	60,007	58.4	53,180	18.0	42,391	10.9	50,950	10.4	50,804	6.2	98,725	84.1	128,025	19.5

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- (8) Children aged 2 years and older included in the analyses.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

