Iowa

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Adair	208	89.4	0.5	7.7	0.0	0.5	1.9	0.0
Adams	131	87.8	0.0	9.9	0.0	0.8	1.5	0.0
Allamakee	509	61.1	0.0	37.1	0.0	0.4	1.4	0.0
Appanoose	373	92.8	1.9	1.9	0.0	0.3	3.2	0.0
Audubon	123	91.9	0.0	5.7	0.0	0.0	1.6	0.8
Benton	353	88.4	0.3	7.6	0.0	0.0	2.5	1.1
Blackhawk	4,639	53.5	21.6	14.5	0.2	1.0	8.9	0.3
Boone	374	83.2	0.0	9.1	0.0	0.3	2.7	4.8
Bremer	280	88.9	1.1	8.2	0.0	0.0	1.8	0.0
Buchanan	367	90.5	0.5	6.0	0.0	0.0	3.0	0.0
Buena Vist	1,000	27.6	6.4	58.4	0.1	6.6	0.9	0.0
Butler	161	98.1	0.0	1.9	0.0	0.0	0.0	0.0
Calhoun	144	88.9	0.7	6.3	0.0	0.0	4.2	0.0
Carroll	458	85.4	1.3	9.4	0.0	0.0	3.5	0.4
Cass	427	85.7	0.7	9.6	0.2	1.6	1.9	0.2
Cedar	191	91.1	2.1	5.8	0.0	0.0	1.0	0.0
Cerro Gord	1,367	79.2	3.4	13.2	0.1	0.4	3.6	0.0
Cherokee	323	84.5	1.2	11.5	0.0	0.6	2.2	0.0
Chickasaw	179	70.9	0.0	26.3	0.0	0.6	2.2	0.0

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Iowa

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Clarke	383	58.7	0.0	40.2	0.0	0.0	1.0	0.0
Clay	601	77.7	1.3	18.3	0.2	0.2	0.7	1.7
Clayton	338	95.9	0.0	3.8	0.3	0.0	0.0	0.0
Clinton	1,331	74.0	5.9	12.0	0.1	0.1	7.9	0.1
Crawford	865	28.8	2.2	67.9	0.2	0.2	0.6	0.1
Dallas	1,002	53.6	1.8	40.9	0.0	0.8	2.6	0.3
Davis	101	93.1	0.0	5.9	0.0	0.0	1.0	0.0
Decatur	328	90.5	2.4	6.1	0.0	0.6	0.3	0.0
Delaware	261	91.6	0.0	5.4	0.0	0.8	2.3	0.0
Des Moines	1,411	69.2	11.2	5.7	0.1	0.6	13.0	0.1
Dickinson	248	86.3	0.4	7.7	0.0	0.8	1.6	3.2
Dubuque	2,420	73.9	12.1	7.2	0.2	2.0	4.5	0.1
Emmet	339	62.8	0.6	34.8	0.0	0.0	1.2	0.6
Fayette	511	90.4	0.8	6.3	0.0	0.2	2.3	0.0
Floyd	402	74.6	6.7	13.2	0.2	1.5	3.5	0.2
Franklin	337	41.5	0.3	57.0	0.0	0.3	0.9	0.0
Fremont	134	78.4	0.0	17.9	0.0	0.0	3.7	0.0
Greene	218	87.2	0.5	11.0	0.0	0.5	0.9	0.0
Grundy	92	*	*	*	*	*	*	*

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Iowa

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Guthrie	135	83.0	0.0	14.8	0.0	0.0	2.2	0.0
Hamilton	426	66.9	0.5	22.1	0.0	7.3	3.3	0.0
Hancock	193	77.7	0.5	18.7	0.0	0.5	2.6	0.0
Hardin	415	77.8	0.0	14.5	0.2	0.0	2.4	5.1
Harrison	260	90.0	0.0	9.6	0.0	0.0	0.4	0.0
Henry	444	73.0	2.5	16.2	0.0	1.8	6.5	0.0
Howard	226	90.3	0.4	9.3	0.0	0.0	0.0	0.0
Humboldt	248	65.7	0.4	32.3	0.0	0.0	1.6	0.0
lda	215	94.0	0.9	4.2	0.0	0.0	0.5	0.5
Iowa	217	65.4	0.9	31.3	0.0	0.0	2.3	0.0
Jackson	310	86.5	0.6	6.8	0.6	0.6	4.8	0.0
Jasper	813	86.7	0.9	7.6	0.0	0.2	2.2	2.3
Jefferson	382	90.3	1.0	5.0	0.5	0.8	2.1	0.3
Johnson	2,428	44.3	21.3	24.3	0.2	3.8	6.0	0.1
Jones	317	89.6	0.3	6.3	0.0	0.0	3.5	0.3
Keokuk	143	94.4	3.5	2.1	0.0	0.0	0.0	0.0
Kossuth	299	88.6	0.7	7.7	0.0	0.0	3.0	0.0
Lee	901	85.9	2.8	4.7	0.0	0.2	6.2	0.2
Linn	4,969	57.1	11.9	11.9	0.1	1.2	12.7	5.1

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Iowa

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth		on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Louisa	305	35.4	1.0	63.0	0.0	0.7	0.0	0.0
Lucas	327	91.4	0.0	1.8	0.0	0.0	2.4	4.3
Lyon	201	87.6	0.0	10.4	0.0	0.5	1.0	0.5
Madison	298	90.6	1.7	6.0	0.3	0.0	1.3	0.0
Mahaska	685	87.3	1.0	7.3	0.0	0.3	2.2	1.9
Marion	867	84.2	1.2	4.6	0.0	1.0	2.8	6.2
Marshall	2,122	40.9	2.5	52.9	0.3	0.7	1.5	1.2
Mills	284	91.5	0.0	5.6	0.4	0.4	2.1	0.0
Mitchell	150	96.0	0.0	3.3	0.0	0.0	0.7	0.0
Monona	239	84.9	1.3	8.8	2.1	0.0	2.9	0.0
Monroe	237	80.6	0.4	7.6	0.4	0.0	5.5	5.5
Montgomery	349	84.8	0.0	13.8	0.0	0.0	1.4	0.0
Muscatine	1,755	53.3	3.4	42.7	0.0	0.0	0.7	0.0
O Brien	354	69.5	0.6	27.1	0.6	0.0	1.4	0.8
Osceola	149	67.1	0.7	30.2	0.7	0.0	0.7	0.7
Page	510	87.8	0.2	8.2	0.0	0.4	3.1	0.2
Palo Alto	209	89.5	1.4	6.2	0.5	1.4	0.5	0.5
Plymouth	412	79.9	0.5	17.0	0.0	0.2	1.9	0.5
Pocahontas	138	84.1	0.0	13.0	0.0	0.7	0.7	1.4

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Iowa

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Polk	11,415	39.7	16.7	34.1	0.1	3.2	6.2	0.0
Pottawatta	3,383	71.3	1.8	22.5	0.1	0.2	4.1	0.0
Poweshiek	435	87.6	1.1	8.7	0.0	0.0	1.4	1.1
Ringgold	101	90.1	0.0	7.9	0.0	2.0	0.0	0.0
Sac	153	84.3	0.7	12.4	0.0	0.0	2.6	0.0
Scott	5,201	58.6	20.4	12.4	0.1	1.9	6.6	0.1
Shelby	240	83.8	1.3	13.3	0.0	0.0	1.7	0.0
Sioux	1,038	55.0	0.6	43.1	0.0	0.0	1.2	0.2
Story	1,754	62.8	9.1	11.9	0.3	6.0	4.8	5.2
Tama	505	46.5	0.4	31.9	15.6	0.2	3.6	1.8
Taylor	175	72.6	0.6	24.6	0.0	0.0	2.3	0.0
Union	485	87.6	2.3	6.6	0.0	0.4	3.1	0.0
Van Buren	109	95.4	0.0	3.7	0.0	0.0	0.9	0.0
Wapello	2,036	69.9	1.1	27.0	0.0	0.8	1.1	0.1
Warren	872	81.3	1.0	8.7	0.1	0.1	3.3	5.4
Washington	338	63.3	2.7	30.5	0.0	0.6	3.0	0.0
Wayne	171	93.6	0.0	2.9	0.0	0.6	0.6	2.3
Webster	1,396	67.8	5.7	18.1	0.1	0.5	7.5	0.4
Winnebago	301	78.7	0.7	17.9	0.0	0.7	2.0	0.0

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.



Page:

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Iowa

Comparison of Racial and Ethnic Distribution by County Children Aged < 5 Years (2)

		Com	parison of Ra	acial and Eth	nic Distributi	on		
County	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaska Native %	Asian/Pacific Islander %	Multiple Races	All Other / Unknown %
Winneshiek	304	81.6	1.0	15.8	0.0	0.0	1.6	0.0
Woodbury	4,718	42.2	4.1	40.8	3.6	2.6	6.6	0.0
Worth	78	*	*	*	*	*	*	*
Wright	531	52.2	0.4	44.3	0.2	0.6	2.3	0.2
Unknown Counties	5	*	*	*	*	*	*	*
Iowa	81,605	62.0	8.1	22.2	0.4	1.5	4.9	0.8
Nation (Prior Year)	8,164,612	31.7	18.8	41.0	1.0	2.6	2.1	2.7



Page:

⁽¹⁾ Reporting period is January 1 through December 31.(2) Analyses based on one record per child.

⁽³⁾ Excludes records with errors.

Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Com	parison of Age Dis	tribution		
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months	
	(3,4)	%	%	%	
Adair	208	28.8	22.1	49.0	
Adams	131	38.2	15.3	46.6	
Allamakee	509	30.6	21.0	48.3	
Appanoose	373	34.3	22.8	42.9	
Audubon	123	42.3	15.4	42.3	
Benton	353	36.8	20.1	43.1	
Blackhawk	4,639	34.9	19.8	45.3	
Boone	374	32.6	21.4	46.0	
Bremer	280	27.5	22.5	50.0	
Buchanan	367	33.8	21.0	45.2	
Buena Vist	1,000	28.4	23.1	48.5	
Butler	161	29.2	23.0	47.8	
Calhoun	144	37.5	19.4	43.1	
Carroll	458	41.5	18.6	40.0	
Cass	427	36.3	22.0	41.7	
Cedar	191	35.6	19.4	45.0	
Cerro Gord	1,367	31.9	22.5	45.6	
Cherokee	323	33.1	20.4	46.4	

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Com	nparison of Age Dist	tribution		
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months	
	(3,4)	%	%	%	
Chickasaw	179	27.4	22.3	50.3	
Clarke	383	41.8	14.9	43.3	
Clay	601	35.6	19.3	45.1	
Clayton	338	34.3	15.7	50.0	
Clinton	1,331	41.3	17.6	41.1	
Crawford	865	33.4	21.6	45.0	
Dallas	1,002	34.0	18.9	47.1	
Davis	101	32.7	8.9	58.4	
Decatur	328	32.0	17.4	50.6	
Delaware	261	38.7	16.9	44.4	
Des Moines	1,411	38.6	20.4	41.0	
Dickinson	248	38.3	16.9	44.8	
Dubuque	2,420	38.2	16.5	45.3	
Emmet	339	36.3	16.5	47.2	
Fayette	511	36.6	18.0	45.4	
Floyd	402	29.6	24.1	46.3	
Franklin	337	32.6	19.9	47.5	
Fremont	134	38.8	17.2	44.0	

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Com	nparison of Age Dis	tribution		
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months	
	(3,4)	%	%	%	
Greene	218	38.5	16.5	45.0	
Grundy	92	*	*	*	
Guthrie	135	37.0	20.7	42.2	
Hamilton	426	34.5	18.8	46.7	
Hancock	193	29.5	17.6	52.8	
Hardin	415	33.7	21.9	44.3	
Harrison	260	35.4	20.0	44.6	
Henry	444	32.2	20.3	47.5	
Howard	226	30.1	19.9	50.0	
Humboldt	248	31.5	16.9	51.6	
Ida	215	27.9	20.5	51.6	
Iowa	217	24.9	26.3	48.8	
Jackson	310	37.4	13.5	49.0	
Jasper	813	37.1	18.9	43.9	
Jefferson	382	31.9	21.5	46.6	
Johnson	2,428	34.8	20.3	44.9	
Jones	317	32.8	18.6	48.6	
Keokuk	143	30.1	16.8	53.1	

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Con	nparison of Age Dis	tribution	
County	Number Included in Analysis (3,4)	0 - 11 Months %	12 - 23 Months %	24 - 59 Months %
Kossuth	299	30.8	19.4	49.8
Lee	901	37.5	21.5	41.0
Linn	4,969	37.0	18.9	44.0
Louisa	305	26.6	25.2	48.2
Lucas	327	26.6	18.7	54.7
Lyon	201	23.9	24.4	51.7
Madison	298	29.2	21.1	49.7
Mahaska	685	33.9	20.3	45.8
Marion	867	33.0	17.2	49.8
Marshall	2,122	34.4	18.8	46.9
Mills	284	34.9	20.8	44.4
Mitchell	150	33.3	21.3	45.3
Monona	239	29.7	13.8	56.5
Monroe	237	30.0	18.6	51.5
Montgomery	349	36.1	14.0	49.9
Muscatine	1,755	35.0	18.7	46.3
O Brien	354	32.8	20.6	46.6
Osceola	149	28.9	21.5	49.7

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

10

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

Comparison of Age Distribution							
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months			
	(3,4)	%	%	%			
Page	510	37.8	21.4	40.8			
Palo Alto	209	32.5	22.0	45.5			
Plymouth	412	32.8	23.3	43.9			
Pocahontas	138	32.6	18.8	48.6			
Polk	11,415	34.3	21.4	44.3			
Pottawatta	3,383	36.9	19.7	43.4			
Poweshiek	435	35.6	20.7	43.7			
Ringgold	101	29.7	15.8	54.5			
Sac	153	35.3	16.3	48.4			
Scott	5,201	37.6	18.5	44.0			
Shelby	240	38.3	20.8	40.8			
Sioux	1,038	29.7	21.2	49.1			
Story	1,754	37.5	18.5	44.0			
Tama	505	34.1	19.6	46.3			
Taylor	175	29.1	20.6	50.3			
Union	485	33.6	19.0	47.4			
Van Buren	109	35.8	11.9	52.3			
Wapello	2,036	34.1	20.6	45.3			

⁽¹⁾ Reporting period is January 1 through December 31.



Page:

Run Date:

11

⁽²⁾ Analyses based on one record per child.(3) Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Age Distribution by County Children Aged < 5 Years (2)

	Co	mparison of Age Dist	ribution	
County	Number Included in Analysis	0 - 11 Months	12 - 23 Months	24 - 59 Months
	(3,4)	%	%	%
Warren	872	31.2	18.3	50.5
Washington	338	28.1	23.4	48.5
Wayne	171	30.4	22.8	46.8
Webster	1,396	31.4	21.1	47.5
Winnebago	301	32.6	19.9	47.5
Winneshiek	304	35.5	16.4	48.0
Woodbury	4,718	37.3	18.7	44.0
Worth	78	*	*	*
Wright	531	31.6	20.5	47.8
Unknown Counties	5	*	*	*
lowa	81,605	35.0	19.7	45.3
Nation (Prior Year)	8,164,612	35.8	23.0	41.3



Page:

Run Date:

12

⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Records rejected if date of birth and date of visit unknown.

^{*} Percentages are not calculated if < 100 records are available for analysis after exclusions.

Page: 13 Run Date: 5 / 17 / 10

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Adair	33	* *	* *	205	4.9 (31)	2.9 (57)	14.1 (45)	103	17.5 (34)	12.6 (17)	167	10.8 (77)
Adams	32	* *	* *	130	7.7 (85)	3.1 (64)	18.5 (83)	61	* *	* *	92	* *
Allamakee	93	* *	* *	498	6.2 (63)	1.2 (10)	15.1 (52)	243	18.5 (46)	17.3 (56)	385	10.6 (76)
Appanoose	80	* *	* *	363	5.8 (51)	5.0 (92)	13.5 (37)	162	16.0 (21)	16.0 (46)	215	5.6 (45)
Audubon	32	* *	* *	121	4.1 (20)	2.5 (46)	8.3 (1)	50	* *	* *	85	* *
Benton	71	* *	* *	347	5.8 (51)	2.9 (57)	14.4 (46)	151	19.9 (56)	16.6 (51)	179	6.1 (51)
Blackhawk	1,050	10.8 (30)	7.0 (12)	4,533	5.8 (51)	4.1 (84)	13.3 (32)	2,072	17.1 (30)	13.9 (27)	2,375	5.2 (44)
Boone	76	* *	* *	366	4.6 (26)	1.4 (17)	15.0 (50)	167	18.6 (49)	13.2 (22)	159	8.8 (67)
Bremer	52	* *	* *	270	5.9 (57)	1.1 (8)	13.3 (32)	138	19.6 (54)	15.9 (44)	175	0.0 (1)
Buchanan	73	* *	* *	360	5.3 (39)	3.1 (64)	11.4 (15)	163	19.0 (52)	11.7 (11)	209	2.4 (12)
Buena Vist	201	8.0 (16)	5.0 (3)	966	4.0 (18)	2.9 (57)	18.4 (82)	470	13.6 (10)	20.9 (70)	735	3.9 (32)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 14 Run Date: 5 / 17 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Butler	29	* *	* *	157	5.1 (32)	5.1 (93)	19.1 (87)	76	* *	* *	114	1.8 (8)
Calhoun	41	* *	* *	140	6.4 (67)	1.4 (17)	15.7 (60)	63	* *	* *	96	* *
Carroll	100	14.0 (32)	6.0 (7)	450	6.4 (67)	0.9 (3)	11.3 (14)	178	18.0 (38)	9.0 (2)	327	2.4 (12)
Cass	98	* *	* *	412	7.8 (87)	1.2 (10)	19.4 (88)	175	22.3 (70)	24.0 (73)	303	8.3 (63)
Cedar	32	* *	* *	190	2.1 (3)	2.6 (48)	12.6 (26)	87	* *	* *	134	4.5 (36)
Cerro Gord	298	7.7 (14)	8.7 (21)	1,346	5.1 (32)	4.8 (90)	13.5 (37)	618	18.0 (38)	15.4 (40)	885	3.3 (24)
Cherokee	68	* *	* *	318	4.1 (20)	3.1 (64)	10.4 (5)	148	19.6 (54)	11.5 (8)	235	2.1 (10)
Chickasaw	34	* *	* *	176	5.7 (47)	2.3 (37)	18.8 (86)	86	* *	* *	114	3.5 (29)
Clarke	96	* *	* *	376	8.2 (92)	5.1 (93)	14.9 (49)	160	11.9 (3)	18.1 (63)	264	11.0 (80)
Clay	125	8.0 (16)	6.4 (10)	587	5.5 (44)	2.4 (41)	11.1 (9)	265	18.9 (50)	11.7 (11)	436	1.4 (6)
Clayton	82	* *	* *	331	6.9 (77)	2.1 (33)	13.3 (32)	165	20.0 (57)	15.2 (39)	228	8.8 (67)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 15 Run Date: 5 / 17 / 10

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	nemia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Clinton	309	10.0 (29)	6.1 (8)	1,305	6.1 (60)	1.7 (23)	15.1 (52)	545	16.9 (28)	14.5 (31)	914	5.7 (46)
Crawford	176	4.5 (3)	5.7 (5)	841	3.3 (9)	1.8 (24)	20.3 (93)	366	22.1 (69)	23.5 (72)	649	6.2 (52)
Dallas	194	9.8 (28)	8.2 (19)	984	3.8 (14)	1.5 (19)	13.6 (39)	457	20.4 (60)	14.7 (35)	769	3.6 (30)
Davis	21	* *	* *	99	* *	* *	* *	56	* *	* *	57	* *
Decatur	57	* *	* *	321	9.0 (94)	2.5 (46)	19.9 (91)	161	17.4 (33)	18.0 (62)	248	9.3 (72)
Delaware	60	* *	* *	261	5.4 (41)	3.8 (82)	11.1 (9)	117	10.3 (2)	14.5 (31)	195	6.7 (54)
Des Moines	349	8.0 (16)	8.9 (23)	1,386	5.8 (51)	2.7 (52)	12.5 (24)	572	17.1 (30)	14.2 (29)	845	10.8 (77)
Dickinson	60	* *	* *	242	5.4 (41)	2.9 (57)	11.2 (12)	110	15.5 (19)	13.6 (25)	166	3.0 (21)
Dubuque	550	4.9 (4)	9.3 (26)	2,384	3.7 (12)	4.3 (85)	9.5 (3)	1,077	15.6 (20)	11.0 (6)	1,811	12.5 (85)
Emmet	80	* *	* *	333	5.7 (47)	3.3 (70)	16.8 (73)	156	17.9 (37)	19.2 (67)	230	1.3 (4)
Fayette	131	11.5 (31)	9.2 (25)	505	5.9 (57)	1.2 (10)	16.0 (62)	221	14.9 (14)	15.8 (43)	340	5.0 (40)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 16 Run Date: 5 / 17 / 10

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			Δ	emia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% - ≥95th (Rank)	Number	% (Rank)
Floyd	85	* *	* *	396	5.1 (32)	3.5 (77)	16.4 (68)	184	18.5 (46)	16.3 (50)	289	6.6 (53)
Franklin	73	* *	* *	330	5.2 (36)	3.6 (79)	13.3 (32)	146	17.1 (30)	11.6 (10)	229	3.1 (23)
Fremont	39	* *	* *	130	2.3 (6)	1.5 (19)	18.5 (83)	55	* *	* *	87	* *
Greene	48	* *	* *	214	5.6 (46)	0.5 (1)	13.1 (29)	97	* *	* *	155	1.3 (4)
Grundy	22	* *	* *	89	* *	* *	* *	41	* *	* *	43	* *
Guthrie	27	* *	* *	134	3.7 (12)	1.5 (19)	13.4 (36)	57	* *	* *	100	3.0 (21)
Hamilton	105	7.6 (13)	3.8 (2)	424	7.3 (81)	4.7 (89)	11.8 (16)	199	21.1 (64)	10.6 (5)	302	4.3 (35)
Hancock	37	* *	* *	186	1.6 (2)	1.6 (22)	15.6 (58)	102	14.7 (13)	11.8 (13)	137	2.9 (17)
Hardin	72	* *	* *	403	6.9 (77)	4.5 (87)	20.1 (92)	185	15.1 (16)	20.0 (69)	315	5.1 (42)
Harrison	50	* *	* *	254	7.9 (89)	2.0 (28)	15.0 (50)	114	20.2 (59)	16.7 (52)	194	8.2 (62)
Henry	85	* *	* *	438	3.4 (11)	1.1 (8)	13.2 (31)	207	13.5 (9)	12.1 (16)	298	8.1 (60)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 17 Run Date: 5 / 17 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% □ <u>></u> 95th (Rank)	Number	% (Rank)
Howard	49	* *	* *	225	6.7 (76)	0.9 (3)	11.1 (9)	113	29.2 (75)	11.5 (8)	156	5.8 (48)
Humboldt	47	* *	* *	242	6.6 (73)	3.7 (80)	12.4 (23)	125	22.4 (71)	16.0 (46)	191	0.0 (1)
lda	44	* *	* *	211	5.2 (36)	2.4 (41)	12.3 (22)	105	8.6 (1)	8.6 (1)	163	2.5 (15)
Iowa	33	* *	* *	198	7.1 (79)	6.6 (95)	17.2 (77)	94	* *	* *	154	5.8 (48)
Jackson	58	* *	* *	309	3.9 (15)	1.3 (15)	15.9 (61)	147	12.2 (4)	12.9 (18)	238	3.4 (27)
Jasper	169	7.1 (11)	11.8 (30)	783	6.6 (73)	3.4 (73)	13.9 (43)	349	17.8 (36)	16.0 (46)	640	2.7 (16)
Jefferson	78	* *	* *	377	5.3 (39)	3.7 (80)	12.2 (19)	175	22.9 (72)	10.3 (4)	223	8.1 (60)
Johnson	543	9.2 (23)	8.1 (18)	2,352	5.5 (44)	3.3 (70)	10.8 (8)	1,080	16.6 (24)	11.8 (13)	1,727	8.3 (63)
Jones	57	* *	* *	313	7.7 (85)	4.5 (87)	13.1 (29)	150	12.7 (5)	14.7 (35)	248	11.3 (81)
Keokuk	28	* *	* *	142	6.3 (66)	2.8 (56)	10.6 (6)	72	* *	* *	78	* *
Kossuth	75	* *	* *	294	7.8 (87)	4.8 (90)	10.2 (4)	143	21.0 (63)	9.8 (3)	205	2.4 (12)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 18 Run Date: 5 / 17 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Нє	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Lee	220	7.3 (12)	5.5 (4)	886	6.4 (67)	4.4 (86)	14.7 (47)	353	15.0 (15)	14.4 (30)	556	11.5 (82)
Linn	1,165	9.6 (26)	9.3 (26)	4,810	5.7 (47)	2.7 (52)	12.6 (26)	2,150	18.9 (50)	13.1 (21)	3,399	10.9 (79)
Louisa	49	* *	* *	301	4.7 (28)	3.0 (63)	17.3 (78)	145	23.4 (74)	21.4 (71)	231	16.0 (88)
Lucas	49	* *	* *	318	2.2 (4)	3.5 (77)	13.8 (42)	169	16.6 (24)	13.0 (20)	256	9.0 (71)
Lyon	34	* *	* *	198	4.5 (24)	1.0 (5)	16.2 (64)	104	14.4 (12)	17.3 (56)	157	5.7 (46)
Madison	59	* *	* *	294	7.1 (79)	2.4 (41)	16.3 (66)	146	13.0 (7)	15.1 (38)	224	8.9 (70)
Mahaska	146	4.1 (1)	7.5 (13)	665	8.0 (90)	2.3 (37)	16.7 (70)	318	13.2 (8)	13.5 (24)	561	7.0 (57)
Marion	175	5.7 (6)	12.0 (32)	845	6.4 (67)	3.2 (68)	15.3 (55)	416	16.8 (27)	17.1 (54)	613	8.0 (59)
Marshall	429	6.5 (8)	11.9 (31)	2,017	5.9 (57)	1.9 (26)	19.7 (89)	966	19.3 (53)	19.9 (68)	1,640	4.9 (39)
Mills	64	* *	* *	276	6.2 (63)	1.8 (24)	17.8 (79)	117	21.4 (65)	18.8 (65)	203	7.9 (58)
Mitchell	31	* *	* *	146	4.8 (30)	3.4 (73)	8.9 (2)	66	* *	* *	104	2.9 (17)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 19 Run Date: 5 / 17 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% □ <u>></u> 95th (Rank)	Number	% (Rank)
Monona	35	* *	* *	234	8.1 (91)	2.1 (33)	16.2 (64)	137	21.9 (68)	19.0 (66)	194	8.8 (67)
Monroe	38	* *	* *	233	3.9 (15)	2.1 (33)	16.7 (70)	115	18.3 (44)	15.7 (41)	181	8.3 (63)
Montgomery	70	* *	* *	341	6.2 (63)	2.9 (57)	25.5 (94)	161	18.0 (38)	24.8 (74)	267	13.1 (86)
Muscatine	400	7.8 (15)	9.8 (28)	1,711	4.7 (28)	2.0 (28)	16.3 (66)	790	18.1 (41)	17.3 (56)	1,139	10.2 (75)
O Brien	76	* *	* *	347	3.2 (8)	2.0 (28)	11.2 (12)	159	15.1 (16)	13.8 (26)	245	4.1 (34)
Osceola	22	* *	* *	146	2.7 (7)	3.4 (73)	17.8 (79)	72	* *	* *	115	1.7 (7)
Page	135	4.4 (2)	3.0 (1)	504	6.5 (72)	2.4 (41)	26.8 (95)	211	21.8 (66)	28.9 (75)	349	6.0 (50)
Palo Alto	42	* *	* *	205	4.4 (23)	2.4 (41)	12.2 (19)	92	* *	* *	152	0.7 (3)
Plymouth	84	* *	* *	406	7.4 (84)	2.0 (28)	10.6 (6)	182	14.3 (11)	14.8 (37)	296	5.1 (42)
Pocahontas	26	* *	* *	136	2.2 (4)	2.9 (57)	11.8 (16)	68	* *	* *	105	2.9 (17)
Polk	2,748	8.0 (16)	8.0 (17)	11,178	5.1 (32)	3.3 (70)	13.0 (28)	4,960	16.1 (22)	14.5 (31)	7,937	11.9 (83)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 20 Run Date: 5 / 17 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			۸۰۰	nemia
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		> 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% _>95th (Rank)	Number	% (Rank)
Pottawatta	814	9.3 (24)	6.3 (9)	3,303	5.7 (47)	2.6 (48)	13.7 (40)	1,436	20.1 (58)	16.9 (53)	2,350	6.7 (54)
Poweshiek	94	* *	* *	420	4.5 (24)	2.6 (48)	18.3 (81)	184	16.3 (23)	17.4 (59)	364	3.8 (31)
Ringgold	20	* *	* *	99	* *	* *	* *	56	* *	* *	77	* *
Sac	28	* *	* *	152	3.3 (9)	2.0 (28)	17.1 (76)	76	* *	* *	118	3.4 (27)
Scott	1,235	8.0 (16)	8.6 (20)	5,129	5.8 (51)	2.3 (37)	12.0 (18)	2,263	18.3 (44)	12.9 (18)	3,980	17.3 (89)
Shelby	53	* *	* *	232	7.3 (81)	1.3 (15)	18.5 (83)	89	* *	* *	171	2.9 (17)
Sioux	200	7.0 (10)	11.5 (29)	1,028	4.0 (18)	3.1 (64)	15.6 (58)	502	18.1 (41)	17.1 (54)	792	4.0 (33)
Story	389	9.3 (24)	7.7 (15)	1,679	7.3 (81)	3.2 (68)	13.7 (40)	771	15.2 (18)	11.0 (6)	839	8.3 (63)
Tama	90	* *	* *	485	3.9 (15)	1.2 (10)	16.7 (70)	229	23.1 (73)	14.0 (28)	400	3.3 (24)
Taylor	24	* *	* *	173	6.4 (67)	2.3 (37)	19.7 (89)	86	* *	* *	137	12.4 (84)
Union	104	5.8 (7)	8.7 (21)	478	8.2 (92)	1.0 (5)	16.9 (75)	227	18.1 (41)	13.2 (22)	360	10.0 (73)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 21 Run Date: 5 / 17 / 10

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			A	
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Van Buren	27	* *	* *	104	1.0 (1)	3.8 (82)	12.5 (24)	51	* *	* *	65	* *
Wapello	445	8.5 (21)	7.6 (14)	1,981	5.4 (41)	3.4 (73)	15.2 (54)	895	16.6 (24)	17.5 (60)	805	5.0 (40)
Warren	165	9.7 (27)	7.9 (16)	850	10.6 (95)	1.9 (26)	16.0 (62)	427	20.4 (60)	15.7 (41)	664	10.1 (74)
Washington	68	* *	* *	336	4.2 (22)	2.7 (52)	14.0 (44)	163	12.9 (6)	17.8 (61)	254	14.6 (87)
Wayne	34	* *	* *	163	6.1 (60)	0.6 (2)	14.7 (47)	76	* *	* *	124	4.8 (38)
Webster	303	5.6 (5)	8.9 (23)	1,368	5.8 (51)	2.2 (36)	15.3 (55)	634	16.9 (28)	14.5 (31)	1,040	1.8 (8)
Winnebago	66	* *	* *	295	6.1 (60)	2.7 (52)	12.2 (19)	137	20.4 (60)	16.1 (49)	202	4.5 (36)
Winneshiek	66	* *	* *	304	6.6 (73)	2.6 (48)	16.4 (68)	142	21.8 (66)	12.0 (15)	209	6.7 (54)
Woodbury	1,073	8.8 (22)	5.9 (6)	4,595	5.2 (36)	1.2 (10)	15.4 (57)	2,017	17.5 (34)	15.9 (44)	3,369	3.3 (24)
Worth	21	* *	* *	77	* *	* *	* *	33	* *	* *	47	* *
Wright	105	6.7 (9)	6.7 (11)	518	4.6 (26)	1.0 (5)	16.8 (73)	254	18.5 (46)	18.5 (64)	401	2.2 (11)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 22 Run Date: 5 / 17 / 10

			Comparis	son of Gr	owth an	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			۸۵	omio
		Low	High		Short Stature (6)	Under- weight (7)			> 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% n <u>></u> 95th (Rank)	Number	% (Rank)
Unknown Counties	2	* *	* *	4	* *	* *	* *	1	* *	* *	1	* *
lowa	18,130	8.2	8.1	79,717	5.5	2.8	14.1	36,225	17.5	15.0	56,001	8.0
Nation (Prior Year)	1,909,620	9.0	6.4	7,107,000	6.0	4.5	14.1	2,943,99	6 16.5	14.8	4,916,523	3 14.9



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

5 / 17 / 10

(2)

		Comp	arison	of Breas	stfeedi	ng, TV V	iewing	, and	l Sm	oking i	n Housel	hold (4,	5)		
			Breastfe	eeding 6)				Exclu	sive B	reastfeedii (7)	ng	≤2 Hou Viewin (Smok Hous	
County	Number	Ever Breastfed	Number	Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Breas A Lea 3 Mor	stfed t ast 3	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	nk)		(Rank)		(Rank)		(Rank)
Adair	33	* *	30	* *	27	* *	22	*	*	30	* *	106	83.0 (47)	197	14.2 (49)
Adams	32	* *	22	* *	17	* *	16	*	*	22	* *	63	* *	126	19.8 (73)
Allamakee	93	* *	75	* *	80	* *	71	*	*	75	* *	262	92.0 (6)	485	11.8 (31)
Appanoose	82	* *	93	* *	72	* *	77	*	*	92	* *	169	85.8 (33)	362	35.9 (93)
Audubon	32	* *	25	* *	17	* *	28	*	*	25	* *	51	* *	118	7.6 (9)
Benton	72	* *	82	* *	65	* *	58	*	*	79	* *	148	88.5 (15)	331	13.9 (46)
Blackhawk	1,077	58.0 (14)	878	17.7 (12)	721	10.3 (14)	720	12.4	(10)	858	6.5 (10)	2,019	80.5 (58)	4,343	13.3 (43)
Boone	79	* *	63	* *	58	* *	39	*	*	61	* *	162	88.3 (17)	364	18.7 (69)
Bremer	54	* *	49	* *	46	* *	42	*	*	49	* *	134	88.1 (19)	262	9.2 (14)
Buchanan	73	* *	64	* *	67	* *	51	*	*	62	* *	175	88.0 (20)	344	9.9 (21)
Buena Vist	206	54.9 (16)	181	19.3 (9)	186	9.1 (17)	137	5.1	(24)	171	2.9 (23)	503	77.5 (68)	980	6.3 (5)
Butler	30	* *	32	* *	37	* *	22	*	*	32	* *	77	* *	158	24.1 (83)
Calhoun	41	* *	23	* *	18	* *	31	*	*	23	* *	61	* *	139	12.2 (35)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

(2)

		Comp	arison	of Breas	stfeedi	ng, TV Vi	iewing	, and	l Sm	oking i	in Housel	hold (4,	5)		
			Breastfe	eeding 6)				Exclu	sive B	reastfeed	ing	≤2 Hou Viewin (Smok Hous	ing in ehold
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Lea	stfed t ast 3 nths	Number	Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Carroll	101	68.3 (3)	88	* *	56	* *	83	*	*	87	* *	174	85.1 (35)	413	14.8 (52)
Cass	97	* *	81	* *	51	* *	80	*	*	77	* *	196	78.6 (64)	408	11.3 (29)
Cedar	33	* *	35	* *	26	* *	28	*	*	34	* *	1	* *	177	12.4 (39)
Cerro Gord	298	44.0 (30)	217	16.1 (16)	219	11.0 (12)	150	15.3	(6)	207	5.8 (13)	649	84.9 (37)	1,322	18.6 (68)
Cherokee	68	* *	48	* *	41	* *	40	*	*	47	* *	141	92.9 (5)	311	11.9 (32)
Chickasaw	35	* *	29	* *	30	* *	25	*	*	29	* *	90	* *	170	15.3 (55)
Clarke	96	* *	82	* *	52	* *	74	*	*	82	* *	169	80.5 (58)	367	12.3 (36)
Clay	128	52.3 (17)	131	12.2 (21)	109	7.3 (21)	94	*	*	130	6.9 (9)	287	83.3 (44)	594	25.9 (88)
Clayton	83	* *	55	* *	30	* *	50	*	*	53	* *	180	88.3 (17)	327	25.4 (85)
Clinton	315	48.6 (21)	331	10.3 (24)	198	11.6 (11)	319	6.3	(22)	321	1.6 (25)	13	* *	1,264	19.5 (71)
Crawford	178	62.4 (8)	168	13.7 (18)	124	7.3 (21)	173	4.0	(26)	164	1.2 (26)	390	82.6 (50)	837	8.4 (12)
Dallas	196	71.9 (2)	203	27.1 (4)	160	12.5 (10)	196	16.8	(4)	199	10.6 (3)	466	87.1 (22)	964	7.0 (7)
Davis	21	* *	17	* *	14	* *	9	*	*	16	* *	60	* *	101	27.7 (89)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Run Date:

Page:

5 / 17 / 10

(2)

			Breastfe	•				Exclu	usive B	reastfeedi (7)	ing	<2 Hou Viewin (i)		Smok Hous	
County	Number	Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le Mo	% astfed At east 3 nths ank)	Number	Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
 Decatur	57	* *	38	* *	46	* *	33	*	*	36	* *	177	84.2 (41)	318	19.2 (70)
Delaware	60	* *	55	* *	30	* *	51	*	*	53	* *	126	98.4 (1)	244	7.0 (7)
Des Moines	352	47.2 (24)	275	11.3 (23)	201	5.5 (23)	273	10.6	(11)	267	6.4 (11)	593	85.2 (34)	1,315	17.3 (63)
Dickinson	63	* *	52	* *	37	* *	39	*	*	52	* *	108	84.3 (39)	241	14.1 (48)
Dubuque	556	44.1 (29)	487	12.3 (20)	369	4.9 (25)	448	10.3	(13)	475	5.1 (16)	1,142	98.3 (2)	2,225	5.5 (3)
Emmet	81	* *	73	* *	49	* *	53	*	*	72	* *	164	86.0 (32)	331	14.5 (50)
Fayette	132	50.0 (19)	89	* *	63	* *	84	*	*	88	* *	235	89.4 (10)	479	25.1 (84)
Floyd	85	* *	80	* *	88	* *	62	*	*	78	* *	200	75.5 (70)	397	25.4 (85)
Franklin	76	* *	67	* *	46	* *	44	*	*	64	* *	169	78.1 (66)	331	16.0 (58)
Fremont	41	* *	20	* *	15	* *	27	*	*	20	* *	57	* *	124	12.1 (34)
Greene	48	* *	43	* *	38	* *	31	*	*	43	* *	98	* *	210	11.9 (32)
Grundy	22	* *	16	* *	8	* *	15	*	*	14	* *	48	* *	88	* *
Guthrie	27	* *	29	* *	22	* *	27	*	*	29	* *	58	* *	127	8.7 (13)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: 5 / 17 / 10 Run Date:

(2)

		Comp	arison	of Breas	stfeedi	ng, TV V	iewing	յ, and S	mo	oking in	Housel	hold (4,5	5)		
			Breastfe	eeding 6)				Exclusive		eastfeeding (7)		≤2 Hou Viewin		Smok Hous	
County	Number	Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	Breastfed At Least 12 Months	Number	Breastfe At Least 3 Months	3	ı	% reastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Rank)			(Rank)		(Rank)		(Rank)
Hamilton	106	50.0 (19)	89	* *	57	* *	65	* *		88	* *	210	81.4 (54)	424	41.0 (95)
Hancock	39	* *	39	* *	30	* *	31	* *		38	* *	107	85.0 (36)	186	23.7 (82)
Hardin	78	* *	85	* *	69	* *	57	* *		85	* *	191	83.2 (46)	405	9.6 (17)
Harrison	51	* *	44	* *	40	* *	45	* *		43	* *	114	88.6 (14)	246	15.0 (53)
Henry	86	* *	86	* *	76	* *	62	* *		82	* *	218	86.2 (29)	415	13.5 (44)
Howard	49	* *	36	* *	30	* *	31	* *		35	* *	119	89.1 (12)	218	18.3 (66)
Humboldt	47	* *	40	* *	42	* *	28	* *		37	* *	134	80.6 (57)	245	13.9 (46)
Ida	44	* *	40	* *	32	* *	28	* *		39	* *	75	* *	208	9.6 (17)
Iowa	35	* *	35	* *	39	* *	23	* *		29	* *	95	* *	194	12.4 (39)
Jackson	58	* *	63	* *	33	* *	54	* *		63	* *	3	* *	291	21.3 (77)
Jasper	185	44.3 (27)	116	16.4 (14)	127	15.7 (4)	130	13.1 (9	9)	113	8.0 (8)	355	86.8 (25)	788	16.2 (60)
Jefferson	80	* *	82	* *	66	* *	64	* *		81	* *	194	86.1 (30)	377	28.9 (91)
Johnson	555	65.4 (5)	414	30.0 (2)	362	19.1 (3)	303	22.8 (1)	382 1	3.6 (1)	1,009	84.3 (39)	2,295	5.1 (2)

⁽¹⁾ Reporting period is January 1 through December 31.



⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

(2)

			Breastfe	eeding 6)				Exclu	isive B	reastfeed (7)	ing	≤2 Hou Viewin (i		Smok Hous	
County	Number	Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le Moi	% stfed at ast ast nths	Numbe	r % Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Jones	59	* *	55	* *	42	* *	49	*	*	55	* *	162	97.5 (3)	292	5.8 (4)
Keokuk	28	* *	24	* *	21	* *	22	*	*	24	* *	82	* *	142	40.1 (94)
Kossuth	75	* *	47	* *	42	* *	37	*	*	46	* *	154	81.2 (55)	292	18.2 (65)
Lee	221	48.0 (22)	156	8.3 (25)	144	3.5 (26)	145	6.2	(23)	153	2.0 (24)	383	86.7 (26)	854	15.5 (57)
Linn	1,277	58.7 (13)	971	16.2 (15)	745	9.5 (15)	777	10.4	(12)	943	5.7 (14)	1,800	86.6 (27)	4,619	10.5 (24)
Louisa	50	* *	47	* *	52	* *	40	*	*	46	* *	154	87.7 (21)	298	17.4 (64)
Lucas	53	* *	66	* *	47	* *	54	*	*	65	* *	187	77.5 (68)	320	20.9 (76)
Lyon	34	* *	32	* *	38	* *	22	*	*	29	* *	75	* *	195	12.3 (36)
Madison	59	* *	58	* *	49	* *	57	*	*	57	* *	156	88.5 (15)	279	17.2 (62)
Mahaska	158	39.9 (32)	125	19.2 (10)	115	10.4 (13)	114	13.2	(8)	119	12.6 (2)	329	79.9 (62)	667	29.7 (92)
Marion	190	55.3 (15)	154	18.8 (11)	126	12.7 (9)	122	13.9	(7)	153	9.8 (7)	456	80.9 (56)	847	11.5 (30)
Marshall	477	61.0 (10)	338	25.4 (5)	304	13.8 (6)	322	7.5	(18)	322	4.3 (19)	1,014	78.0 (67)	2,034	9.6 (17)
Mills	65	* *	53	* *	56	* *	52	*	*	48	* *	126	84.1 (42)	277	9.4 (16)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



lowa

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years $^{(3)}$

(0)

Page:

Run Date:

28 5 / 17 / 10

(2)

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	j, an	d Sm	oking i	n Housel	nold (4,	5)		
			Breastfe (eeding 6)				Exclu	usive B	reastfeedi (7)	ng	<2 Hou Viewin (ing in sehold
County	Number	Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Numbei	Brea A Le	% astfed At east 3 onths	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	ank)		(Rank)		(Rank)		(Rank)
Mitchell	33	* *	25	* *	28	* *	19	*	*	24	* *	73	* *	144	13.2 (41)
Monona	36	* *	32	* *	23	* *	30	*	*	32	* *	134	91.8 (7)	233	15.0 (53)
Monroe	41	* *	46	* *	38	* *	26	*	*	45	* *	125	80.0 (61)	231	20.8 (75)
Montgomery	71	* *	55	* *	39	* *	58	*	*	53	* *	175	82.9 (48)	331	10.6 (25)
Muscatine	403	65.8 (4)	342	22.2 (8)	292	21.9 (2)	321	6.9	(20)	327	4.6 (18)	840	90.4 (8)	1,688	28.3 (90)
O Brien	76	* *	76	* *	63	* *	54	*	*	74	* *	163	83.4 (43)	349	10.3 (22)
Osceola	23	* *	36	* *	33	* *	25	*	*	36	* *	73	* *	146	10.3 (22)
Page	135	34.8 (33)	99	* *	85	* *	104	6.7	(21)	97	* *	216	82.9 (48)	491	11.2 (28)
Palo Alto	42	* *	48	* *	40	* *	30	*	*	48	* *	100	87.0 (24)	208	20.2 (74)
Plymouth	86	* *	78	* *	80	* *	57	*	*	75	* *	153	86.3 (28)	396	9.8 (20)
Pocahontas	26	* *	28	* *	26	* *	19	*	*	28	* *	70	* *	137	19.7 (72)
Polk	2,775	65.4 (5)	1,899	23.3 (6)	1,843	13.8 (6)	1,429	9.9	(14)	1,835	5.2 (15)	3,519	78.2 (65)	10,582	7.6 (9)
Pottawatta	826	46.2 (25)	709	12.1 (22)	544	8.6 (19)	584	7.4	(19)	686	3.5 (21)	1,524	79.9 (62)	3,226	7.9 (11)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

(2)

5 / 17 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household (4.5)<2 Hours TV Smoking in Breastfeeding **Exclusive Breastfeeding** Viewing/Day Household (7) (6) (8) % % % Number % % % % County Number Number Number Number Number Number Ever Breastfed Breastfed Breastfed Breastfed Breastfed Αt Αt Αt Αt Least Least Least Least 6 12 3 6 Months Months Months Months (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) (Rank) 99 89 79 Poweshiek 89 195 88.7 (13) 428 18.5 (67) 20 14 8 12 14 56 97 Ringgold 28 36 16 28 35 72 147 Sac 10.9 (27) Scott 1,246 45.9 (26) 859 14.8 (17) 771 8.2 (20) 1,099 9.7 (15)830 5.9 (12) 2,393 84.7 (38) 5,042 22.5 (80) 52 53 58 42 96 232 Shelby 55 14.7 (51) Sioux 203 77.3 (1) 184 27.2 (3) 183 15.3 (5) 154 18.2 (2) 180 10.6 (3) 436 89.4 (10) 1,015 4.0 (1) 431 212 285 656 Story 60.1 (12) 304 31.6 (1) 263 22.1 (1) 16.5 (5) 10.5 (5) 82.2 (52) 1,677 15.3 (55) 75 * 71 79 Tama 101 80 240 75.4 (71) 488 12.3 (36) 61.4 (9) * * 24 31 * * 19 * * 23 30 91 167 10.8 (26) Taylor 70 104 77 87 84 240 83.3 (44) 463 Union 44.2 (28) 21.6 (78) 17 * * 29 15 13 57 104 Van Buren 15 45.2 (96) Wapello 460 47.8 (23) 408 327 9.2 (16) 316 8.2 399 894 90.3 (9) 1.991 22.3 (79) 17.4 (13) (16)5.0 (17) 177 98 855 162 138 13.8 (6) 114 17.5 (3) 159 10.1 (6) Warren 61.0 (10) 22.8 (7) 6.9 (6)



⁽¹⁾ Reporting period is January 1 through December 31.

TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

Children aged 2 years and older included in the analyses.

Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

5 / 17 / 10

(2)

			Breastfe (6	•				Exclu	sive B	reastfeeding	g	(4,	ırs TV	Smoki House	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le	t ast 3 nths	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Washington	69	* *	54	* *	56	* *	49	*	*	52	* *	158	80.4 (60)	334	13.2 (41)
Wayne	35	* *	35	* *	28	* *	25	*	*	33	* *	86	* *	168	16.1 (59)
Webster	307	41.0 (31)	262	8.0 (26)	237	5.5 (23)	211	7.6	(17)	255	4.3 (19)	689	87.1 (22)	1,374	25.5 (87)
Winnebago	67	* *	48	* *	51	* *	37	*	*	48	* *	148	82.4 (51)	292	23.3 (81)
Winneshiek	66	* *	52	* *	39	* *	42	*	*	49	* *	153	93.5 (4)	291	13.7 (45)
Woodbury	1,094	63.6 (7)	785	12.9 (19)	681	8.7 (18)	787	5.0	(25)	763	3.4 (22)	2,054	86.1 (30)	4,281	9.3 (15)
Worth	21	* *	16	* *	15	* *	15	*	*	16	* *	34	* *	74	* *
Wright	108	50.9 (18)	98	* *	82	* *	73	*	*	94	* *	279	81.7 (53)	520	16.3 (61)
Unknown Counties	2	* *	0	* *	1	* *	1	*	*	0	* *	0	* *	3	* *
lowa	18,629	55.9	14,871	18.1	12,648	11.3	12,801	10.	3	14,415	6.2	34,113	84.3	77,507	13.7
Nation (Prior Year)	1,719,0	83 62.0	848,761	26.9	1,038,20	03 19.1	144,421	12.	9	206,416	7.2	744,697	74.8	3,277,352	2 10.9

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 31 Run Date: 5 / 17 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			۸.,	nemia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Adair	137	8.8 (56)	9.5 (64)	657	4.4 (18)	3.3 (72)	16.1 (72)	299	14.4 (9)	15.1 (50)	500	13.8 (97)
Adams	77	* *	* *	356	4.8 (25)	4.5 (91)	13.5 (38)	168	16.1 (30)	13.1 (20)	265	8.3 (65)
Allamakee	342	12.0 (82)	11.1 (78)	1,605	7.2 (84)	2.0 (15)	16.2 (74)	743	17.5 (51)	17.4 (78)	1,148	8.1 (63)
Appanoose	252	9.9 (71)	7.5 (31)	1,071	7.0 (80)	6.1 (99)	14.3 (53)	478	15.1 (15)	16.1 (66)	565	5.3 (48)
Audubon	85	* *	* *	318	6.3 (67)	1.6 (6)	8.2 (1)	138	22.5 (96)	11.6 (9)	222	1.8 (4)
Benton	215	7.9 (39)	12.1 (81)	971	5.5 (45)	3.2 (68)	14.8 (62)	426	18.3 (61)	16.4 (68)	423	5.0 (43)
Blackhawk	3,172	9.3 (67)	6.7 (24)	13,091	5.9 (59)	3.9 (82)	13.3 (34)	5,729	16.9 (41)	14.1 (32)	6,728	5.0 (43)
Boone	238	10.5 (75)	8.8 (53)	1,119	6.9 (79)	1.8 (10)	14.0 (47)	502	18.1 (57)	15.9 (64)	447	7.6 (60)
Bremer	168	10.7 (77)	4.8 (4)	808	5.8 (58)	2.6 (41)	13.4 (37)	370	17.0 (44)	14.9 (44)	492	2.6 (11)
Buchanan	255	6.7 (17)	9.0 (56)	1,095	5.6 (53)	2.6 (41)	13.2 (32)	481	18.9 (67)	11.9 (12)	586	2.7 (13)
Buena Vist	612	6.5 (13)	5.6 (12)	2,699	4.2 (14)	3.0 (53)	16.0 (71)	1,277	16.5 (34)	19.0 (88)	1,963	5.5 (51)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 32 Run Date: 5 / 17 / 10

			Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight ₍₇₎		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Butler	111	9.9 (71)	5.4 (8)	428	4.4 (18)	3.7 (78)	17.8 (87)	193	17.1 (45)	15.0 (46)	292	4.1 (32)
Calhoun	106	17.9 (85)	7.5 (31)	397	6.0 (62)	2.0 (15)	12.6 (25)	181	16.6 (36)	13.3 (21)	286	1.7 (3)
Carroll	295	10.2 (74)	8.8 (53)	1,218	4.8 (25)	1.6 (6)	10.4 (3)	485	20.8 (90)	10.7 (6)	878	1.9 (6)
Cass	267	7.5 (27)	6.4 (19)	1,159	6.7 (74)	1.1 (3)	19.7 (95)	492	19.1 (71)	21.3 (93)	872	7.8 (61)
Cedar	128	7.8 (34)	7.0 (27)	583	4.5 (20)	2.2 (27)	11.8 (13)	251	16.7 (38)	9.2 (1)	414	3.6 (23)
Cerro Gord	942	8.8 (56)	9.7 (67)	3,921	5.7 (55)	4.6 (93)	13.5 (38)	1,735	19.2 (73)	16.0 (65)	2,510	4.3 (35)
Cherokee	207	7.2 (21)	4.8 (4)	955	4.6 (22)	2.6 (41)	12.5 (21)	433	21.7 (93)	13.6 (27)	702	3.7 (26)
Chickasaw	107	7.5 (27)	6.5 (21)	525	5.5 (45)	3.2 (68)	13.1 (29)	250	16.0 (28)	12.0 (14)	327	4.3 (35)
Clarke	280	9.6 (70)	8.2 (44)	1,062	7.3 (86)	5.4 (97)	13.1 (29)	446	12.8 (5)	15.5 (55)	727	10.2 (87)
Clay	388	7.5 (27)	7.5 (31)	1,681	5.5 (45)	3.1 (61)	13.1 (29)	744	17.1 (45)	14.5 (39)	1,185	3.0 (17)
Clayton	205	7.8 (34)	11.2 (79)	928	6.7 (74)	2.0 (15)	15.1 (65)	432	19.0 (69)	15.5 (55)	626	8.1 (63)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Growth and Anemia Indicators by County Children Aged < 5 Years (2) Page: 33 Run Date: 5 / 17 / 10

			Comparis	on of G	rowth ar	nd Aneı	mia Indi	cators		(3,4)		
		Birthweight	(5)			H	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight ₍₇₎		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Clinton	965	8.2 (47)	5.5 (9)	3,732	6.7 (74)	1.3 (4)	16.2 (74)	1,497	18.6 (62)	15.4 (53)	2,496	4.9 (42)
Crawford	533	5.6 (9)	6.9 (25)	2,451	2.9 (4)	2.0 (15)	19.2 (93)	1,073	19.7 (80)	23.3 (98)	1,879	6.9 (57)
Dallas	656	8.2 (47)	7.6 (36)	2,867	4.3 (16)	2.1 (25)	14.2 (51)	1,257	19.9 (84)	15.8 (61)	2,117	2.9 (15)
Davis	63	* *	* *	310	7.7 (92)	2.3 (28)	12.6 (25)	153	14.4 (9)	15.7 (60)	139	3.6 (23)
Decatur	201	10.9 (78)	9.0 (56)	936	8.3 (97)	3.1 (61)	18.1 (89)	445	18.9 (67)	15.1 (50)	708	9.6 (80)
Delaware	157	7.0 (19)	9.6 (66)	725	5.5 (45)	4.1 (88)	11.2 (6)	316	15.5 (21)	10.4 (5)	546	10.1 (86)
Des Moines	1,000	7.2 (21)	8.2 (44)	3,955	6.0 (62)	2.6 (41)	11.7 (9)	1,615	17.4 (50)	12.5 (16)	2,422	9.7 (81)
Dickinson	162	6.2 (11)	9.3 (62)	635	6.5 (71)	3.0 (53)	11.5 (8)	277	20.2 (86)	13.7 (28)	407	3.9 (29)
Dubuque	1,647	7.5 (27)	9.1 (59)	6,782	4.1 (12)	3.6 (76)	11.2 (6)	3,010	17.1 (45)	12.3 (15)	5,061	12.3 (95)
Emmet	217	8.8 (56)	5.5 (9)	930	4.9 (28)	3.1 (61)	14.2 (51)	430	16.7 (38)	14.9 (44)	655	5.2 (47)
Fayette	308	9.1 (63)	8.4 (47)	1,328	5.4 (41)	2.7 (46)	14.4 (54)	593	18.7 (66)	15.2 (52)	940	6.3 (55)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Growth and Anemia Indicators by County Children Aged < 5 Years (2) Page: 34 Run Date: 5 / 17 / 10

		l	Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			A	
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Floyd	256	8.6 (50)	10.9 (76)	1,098	5.5 (45)	3.6 (76)	14.7 (60)	498	15.9 (27)	14.5 (39)	778	5.4 (49)
Franklin	237	5.9 (10)	11.0 (77)	986	4.3 (16)	3.9 (82)	14.1 (49)	462	19.0 (69)	14.7 (43)	681	3.7 (26)
Fremont	101	5.0 (6)	5.0 (6)	422	5.0 (30)	3.1 (61)	19.2 (93)	181	19.3 (76)	22.1 (94)	305	9.8 (83)
Greene	145	11.0 (79)	5.5 (9)	664	5.3 (39)	0.9 (1)	13.9 (45)	311	18.6 (62)	18.0 (81)	488	0.6 (1)
Grundy	54	* *	* *	263	6.8 (78)	5.3 (96)	12.5 (21)	124	20.2 (86)	19.4 (89)	117	2.6 (11)
Guthrie	93	* *	* *	411	2.4 (1)	2.9 (49)	11.7 (9)	180	10.6 (1)	13.3 (21)	298	1.3 (2)
Hamilton	279	7.9 (39)	4.3 (3)	1,175	7.5 (90)	3.9 (82)	11.7 (9)	530	20.2 (86)	11.7 (10)	846	6.1 (54)
Hancock	120	3.3 (2)	10.0 (71)	538	2.8 (3)	3.9 (82)	16.9 (83)	260	15.8 (24)	15.0 (46)	372	3.8 (28)
Hardin	256	7.8 (34)	6.6 (22)	1,160	6.4 (70)	3.8 (80)	15.9 (69)	513	15.4 (20)	16.8 (70)	886	5.8 (53)
Harrison	185	8.1 (45)	5.9 (13)	756	7.3 (86)	1.9 (12)	14.0 (47)	313	22.0 (95)	17.3 (77)	543	8.5 (67)
Henry	310	6.8 (18)	9.0 (56)	1,328	4.6 (22)	2.0 (15)	13.3 (34)	594	14.6 (12)	14.1 (32)	854	9.0 (74)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 35 Run Date: 5 / 17 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			Δ	emia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Howard	152	3.3 (2)	3.9 (2)	631	6.0 (62)	2.5 (34)	13.0 (28)	275	24.4 (97)	13.5 (25)	420	8.3 (65)
Humboldt	147	12.9 (83)	7.5 (31)	745	5.4 (41)	3.8 (80)	12.5 (21)	373	19.8 (81)	14.5 (39)	590	2.4 (10)
lda	120	11.7 (80)	3.3 (1)	610	5.4 (41)	2.0 (15)	10.8 (4)	295	11.5 (3)	10.2 (3)	471	2.1 (8)
lowa	128	11.7 (80)	6.3 (18)	614	7.7 (92)	5.4 (97)	19.9 (96)	289	16.3 (33)	22.1 (94)	460	8.9 (73)
Jackson	211	9.0 (61)	7.6 (36)	1,014	5.0 (30)	2.0 (15)	14.9 (63)	452	15.3 (18)	12.8 (18)	756	5.0 (43)
Jasper	502	9.4 (69)	8.0 (40)	2,224	7.0 (80)	3.1 (61)	14.5 (56)	997	16.9 (41)	15.6 (58)	1,790	3.0 (17)
Jefferson	239	5.0 (6)	15.1 (85)	1,067	4.8 (25)	4.3 (90)	13.2 (32)	499	16.2 (32)	11.8 (11)	561	8.7 (70)
Johnson	1,659	9.9 (71)	7.5 (31)	6,818	5.7 (55)	3.9 (82)	12.0 (16)	3,036	16.6 (36)	11.9 (12)	4,952	10.3 (88)
Jones	204	9.3 (67)	7.4 (30)	918	7.0 (80)	4.6 (93)	11.7 (9)	416	13.0 (6)	12.5 (16)	678	10.9 (89)
Keokuk	82	* *	* *	405	7.7 (92)	3.0 (53)	11.9 (14)	192	24.5 (98)	13.5 (25)	227	3.5 (22)
Kossuth	201	7.5 (27)	9.5 (64)	809	6.3 (67)	4.2 (89)	13.8 (43)	382	16.0 (28)	13.9 (29)	560	2.9 (15)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 36 Run Date: 5 / 17 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			۸.,	nemia
		Low	High		Short Stature (6)	Under- weight (7)			≥ 2 Yrs Over- weight (7)		Low	Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Lee	671	9.1 (63)	6.6 (22)	2,703	6.7 (74)	3.0 (53)	13.5 (38)	1,093	15.6 (23)	14.2 (36)	1,699	9.9 (84)
Linn	3,367	8.9 (59)	9.2 (61)	14,022	5.2 (35)	2.9 (49)	12.2 (17)	6,204	18.0 (56)	13.3 (21)	9,895	12.2 (94)
Louisa	203	7.9 (39)	8.4 (47)	953	4.6 (22)	2.9 (49)	16.2 (74)	428	21.7 (93)	19.9 (91)	687	11.9 (93)
Lucas	181	7.2 (21)	9.4 (63)	945	3.9 (9)	2.5 (34)	14.5 (56)	449	14.7 (13)	15.6 (58)	729	9.3 (78)
Lyon	111	2.7 (1)	10.8 (74)	559	3.9 (9)	2.0 (15)	14.5 (56)	276	14.5 (11)	14.1 (32)	424	4.5 (40)
Madison	197	7.6 (33)	8.6 (50)	855	7.3 (86)	3.2 (68)	14.9 (63)	393	15.5 (21)	14.0 (31)	625	9.9 (84)
Mahaska	431	7.2 (21)	8.6 (50)	1,915	7.3 (86)	1.9 (12)	17.1 (85)	861	15.1 (15)	15.8 (61)	1,563	8.6 (69)
Marion	483	9.1 (63)	11.2 (79)	2,324	7.1 (83)	2.8 (48)	13.9 (45)	1,117	16.8 (40)	14.1 (32)	1,692	9.0 (74)
Marshall	1,297	8.6 (50)	10.8 (74)	5,925	5.5 (45)	2.5 (34)	20.1 (98)	2,785	18.6 (62)	21.2 (92)	4,741	5.1 (46)
Mills	183	8.7 (52)	6.0 (15)	751	7.2 (84)	2.5 (34)	17.0 (84)	317	21.1 (91)	18.6 (83)	539	6.9 (57)
Mitchell	97	* *	* *	395	3.8 (8)	3.0 (53)	9.9 (2)	176	14.8 (14)	10.2 (3)	274	3.3 (19)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 37 Run Date: 5 / 17 / 10

		(Comparis	on of G	rowth ar	nd Aneı	nia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight				•
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Monona	135	8.1 (45)	5.9 (13)	766	6.1 (65)	1.4 (5)	17.4 (86)	403	21.3 (92)	17.1 (76)	617	9.1 (76)
Monroe	136	6.6 (16)	8.1 (42)	678	5.2 (35)	3.1 (61)	18.3 (90)	307	19.2 (73)	18.9 (85)	496	10.9 (89)
Montgomery	219	8.7 (52)	10.5 (72)	1,026	5.0 (30)	2.3 (28)	20.0 (97)	478	16.9 (41)	22.8 (97)	785	9.7 (81)
Muscatine	1,169	7.4 (25)	7.7 (38)	4,796	5.9 (59)	2.1 (25)	16.7 (80)	2,140	18.6 (62)	18.4 (82)	3,185	11.4 (92)
O Brien	227	7.0 (19)	9.7 (67)	965	3.1 (5)	3.2 (68)	12.3 (19)	417	14.1 (7)	15.8 (61)	664	4.1 (32)
Osceola	82	* *	* *	376	3.7 (7)	2.4 (31)	14.6 (59)	178	15.2 (17)	14.6 (42)	263	3.4 (20)
Page	376	6.4 (12)	5.3 (7)	1,418	5.9 (59)	3.0 (53)	21.4 (99)	606	19.8 (81)	22.1 (94)	1,002	6.8 (56)
Palo Alto	145	9.0 (61)	8.3 (46)	596	4.5 (20)	3.9 (82)	10.9 (5)	252	17.1 (45)	11.5 (8)	413	3.6 (23)
Plymouth	276	10.5 (75)	6.2 (17)	1,166	6.3 (67)	1.9 (12)	14.1 (49)	496	14.1 (7)	16.9 (73)	831	3.9 (29)
Pocahontas	92	* *	* *	416	3.1 (5)	2.4 (31)	14.7 (60)	191	12.6 (4)	16.8 (70)	295	3.4 (20)
Polk	8,284	8.0 (44)	7.9 (39)	31,370	5.5 (45)	3.0 (53)	13.8 (43)	13,087	16.1 (30)	14.2 (36)	21,609	12.4 (96)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 38 Run Date: 5 / 17 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Не	eight and V	Veight			Δ	
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% <u>></u> 95th (Rank)	Number	% (Rank)
Pottawatta	2,253	8.9 (59)	6.4 (19)	9,377	5.3 (39)	2.5 (34)	13.7 (41)	4,161	20.0 (85)	16.4 (68)	6,797	6.9 (57)
Poweshiek	284	4.9 (4)	13.0 (83)	1,193	5.2 (35)	2.5 (34)	18.8 (92)	550	19.8 (81)	18.7 (84)	994	4.3 (35)
Ringgold	63	* *	* *	317	7.9 (95)	3.5 (73)	18.3 (90)	165	15.8 (24)	17.0 (75)	242	9.1 (76)
Sac	89	* *	* *	459	3.9 (9)	2.6 (41)	13.7 (41)	203	15.3 (18)	19.7 (90)	354	2.0 (7)
Scott	3,554	8.4 (49)	8.6 (50)	14,810	5.7 (55)	2.4 (31)	12.3 (19)	6,347	17.6 (53)	13.0 (19)	11,431	14.5 (98)
Shelby	182	4.9 (4)	6.0 (15)	734	7.9 (95)	2.7 (46)	16.5 (79)	318	18.2 (60)	18.9 (85)	524	4.2 (34)
Sioux	619	7.4 (25)	9.9 (69)	2,949	4.2 (14)	2.5 (34)	15.3 (67)	1,421	18.1 (57)	16.2 (67)	2,232	4.0 (31)
Story	1,181	7.8 (34)	8.8 (53)	4,796	6.2 (66)	3.5 (73)	12.2 (17)	2,085	15.8 (24)	10.0 (2)	2,340	7.8 (61)
Tama	288	8.7 (52)	14.6 (84)	1,375	4.1 (12)	2.3 (28)	17.9 (88)	643	19.1 (71)	16.8 (70)	1,118	4.7 (41)
Taylor	99	* *	* *	523	5.0 (30)	1.7 (8)	15.9 (69)	243	18.1 (57)	16.9 (73)	394	9.4 (79)
Union	335	7.5 (27)	8.1 (42)	1,421	8.8 (99)	3.0 (53)	15.7 (68)	640	17.8 (54)	13.9 (29)	1,035	11.0 (91)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 39 Run Date: 5 / 17 / 10

		(Comparis	on of G	rowth ar	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Нє	eight and V	Veight				
		Low	High		Short Stature (6)	Under- weight (7)	Obese (7)		≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct (8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Van Buren	76	* *	* *	334	2.7 (2)	4.5 (91)	12.6 (25)	160	10.6 (1)	11.3 (7)	215	2.8 (14)
Wapello	1,307	7.9 (39)	7.2 (29)	5,552	5.4 (41)	3.5 (73)	16.1 (72)	2,424	17.2 (49)	18.9 (85)	2,442	5.4 (49)
Warren	516	7.8 (34)	10.5 (72)	2,437	8.6 (98)	2.0 (15)	15.2 (66)	1,144	19.6 (78)	14.4 (38)	1,825	8.7 (70)
Washington	209	9.1 (63)	9.1 (59)	998	4.9 (28)	3.7 (78)	12.5 (21)	473	16.5 (34)	15.0 (46)	765	14.9 (99)
Wayne	116	12.9 (83)	12.1 (81)	507	7.5 (90)	1.8 (10)	16.4 (78)	228	19.3 (76)	17.5 (79)	366	8.7 (70)
Webster	969	6.5 (13)	8.5 (49)	4,021	6.5 (71)	2.0 (15)	16.7 (80)	1,758	17.8 (54)	15.4 (53)	2,990	1.8 (4)
Winnebago	172	8.7 (52)	9.9 (69)	774	6.6 (73)	3.1 (61)	13.3 (34)	343	19.2 (73)	15.5 (55)	508	4.3 (35)
Winneshiek	199	6.5 (13)	8.0 (40)	907	5.5 (45)	2.9 (49)	16.2 (74)	402	20.4 (89)	13.4 (24)	626	8.5 (67)
Woodbury	3,164	7.9 (39)	6.9 (25)	13,109	5.0 (30)	1.7 (8)	14.4 (54)	5,658	17.5 (51)	15.0 (46)	9,484	5.7 (52)
Worth	48	* *	* *	194	5.2 (35)	5.2 (95)	11.9 (14)	87	* *	* *	116	4.3 (35)
Wright	325	5.2 (8)	7.1 (28)	1,443	5.6 (53)	1.0 (2)	16.7 (80)	643	19.6 (78)	17.7 (80)	1,058	2.3 (9)

- (1) Reporting period is January 1 through December 31.
- (2) Analyses based on one record per child.
- (3) Excludes records with unknown data or errors.
- (4) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (5) Infants born during the reporting period included in the analysis.
- (6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.
- (7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.
- (8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.
- * Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Page: 40 Run Date: 5 / 17 / 10

	_		Comparis	on of G	rowth aı	nd Aner	nia Indi	cators		(3,4)		
		Birthweight	(5)			Н	eight and V	Veight			٨٣	omio
		Low	High		Short Stature (6)	Under- weight			≥ 2 Yrs Over- weight (7)		Low	emia Hb/Hct 8)
County	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% <u>></u> 95th (Rank)	Number	% 85th- <95th (Rank)	% _>95th (Rank)	Number	% (Rank)
Unknown Counties	2	* *	* *	8	* *	* *	* *	3	* *	* *	5	* *
lowa	54,591	8.2	8.1	229,112	5.6	2.9	14.2	100,844	17.5	15.0	158,050	8.3



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Analyses based on one record per child.

⁽³⁾ Excludes records with unknown data or errors.

⁽⁴⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁵⁾ Infants born during the reporting period included in the analysis.

⁽⁶⁾ Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

⁽⁷⁾ Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies overweight children and >= 95th percentile category identifies obese children.

⁽⁸⁾ Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

^{*} Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

lowa

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years $^{(3)}$

Page: Run Date: 5 /

5 / 17 / 10

		Comp	arison	of Breas	stfeedi	ng, TV V	ewing	, and	d Sm	oking i	n Housel	nold (4,	5)		
			Breastfe	eeding 6)				Exclu	ısive B	reastfeedii (7)	ng	≤2 Hou Viewin (Smok Hous	
County	Number	Ever Breastfed (Rank)			Number	% Breastfed At Least 12 Months	Number	Brea A Le	% astfed at ast 3 nths	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	ank)		(Rank)		(Rank)		(Rank)
Adair	156	51.3 (60)	143	22.4 (23)	116	12.9 (22)	140	11.4	(31)	136	6.6 (35)	316	84.5 (45)	350	32.6 (54)
Adams	84	* *	81	* *	59	* *	73	*	*	78	* *	176	78.4 (91)	189	35.4 (72)
Allamakee	386	75.9 (1)	357	45.7 (1)	296	30.1 (1)	341	19.1	(2)	338	10.1 (8)	782	92.3 (6)	864	22.5 (15)
Appanoose	287	46.7 (77)	266	9.8 (85)	202	5.9 (69)	249	7.2	(67)	254	3.9 (69)	480	89.6 (15)	571	42.9 (97)
Audubon	96	* *	73	* *	48	* *	84	*	*	73	* *	133	81.2 (75)	184	39.1 (91)
Benton	244	60.7 (25)	224	12.5 (76)	172	7.0 (66)	204	7.4	(65)	212	3.3 (74)	405	90.6 (11)	522	37.4 (84)
Blackhawk	3,421	59.4 (32)	3,098	18.0 (46)	2,476	10.4 (42)	2,888	11.2	(33)	2,976	6.4 (37)	5,246	81.6 (71)	6,990	30.0 (40)
Boone	276	63.4 (17)	230	28.3 (12)	197	13.7 (20)	200	12.5	(23)	212	6.1 (40)	432	85.9 (36)	612	19.0 (8)
Bremer	194	68.6 (9)	178	20.8 (27)	157	11.5 (33)	166	15.7	(9)	173	10.4 (4)	318	89.6 (15)	408	30.6 (42)
Buchanan	272	63.2 (19)	245	19.2 (36)	214	12.1 (26)	228	14.0	(17)	233	7.3 (28)	472	88.1 (19)	572	32.0 (48)
Buena Vist	676	63.0 (20)	607	26.2 (16)	489	16.0 (16)	535	6.4	(75)	550	3.6 (72)	1,372	77.5 (93)	1,472	13.0 (3)
Butler	117	38.5 (90)	96	* *	80	* *	95	*	*	94	* *	208	78.8 (89)	239	42.3 (95)
Calhoun	108	55.6 (44)	82	* *	59	* *	97	*	*	79	* *	182	86.8 (28)	220	35.0 (70)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

5 / 17 / 10

		Comp	arison	of Breas	stfeedi	ng, TV Vi	iewing	, and	l Sm	oking i	n Housel	nold (4,	5)		
			Breastfe	•				Exclu	sive B	reastfeedir (7)	ng	≤2 Hou Viewin		Smok Hous	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Brea A Lea	t ast 3	Number	% Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	nk)		(Rank)		(Rank)		(Rank)
Carroll	344	63.4 (17)	311	16.4 (57)	206	4.9 (74)	306	8.5	(51)	302	3.0 (76)	478	84.5 (45)	668	35.8 (77)
Cass	308	55.2 (48)	281	14.2 (66)	231	5.2 (73)	277	12.3	(25)	259	6.9 (32)	535	83.7 (55)	643	33.7 (63)
Cedar	148	58.8 (34)	140	12.9 (72)	104	4.8 (75)	142	11.3	(32)	133	5.3 (49)	46	* *	302	22.8 (16)
Cerro Gord	1,031	46.3 (78)	865	15.8 (59)	732	10.4 (42)	780	8.5	(51)	803	4.4 (59)	1,770	84.1 (50)	2,148	34.0 (67)
Cherokee	222	54.5 (51)	197	19.3 (35)	157	11.5 (33)	172	15.1	(14)	186	7.0 (31)	435	88.3 (18)	509	37.3 (83)
Chickasaw	123	74.0 (4)	114	18.4 (43)	81	* *	109	9.2	(48)	113	6.2 (39)	242	84.3 (49)	274	32.8 (57)
Clarke	305	50.2 (69)	267	21.0 (26)	180	11.7 (29)	247	8.1	(54)	246	4.9 (54)	473	80.1 (84)	594	27.1 (28)
Clay	436	53.0 (55)	412	18.2 (44)	327	11.0 (38)	361	8.0	(56)	387	4.7 (55)	787	85.0 (40)	914	35.6 (74)
Clayton	226	60.6 (26)	199	22.6 (21)	144	10.4 (42)	185	15.7	(9)	187	9.6 (10)	458	88.0 (20)	507	33.5 (62)
Clinton	1,065	55.4 (46)	983	13.0 (71)	671	10.0 (48)	992	7.9	(58)	929	3.0 (76)	202	81.7 (70)	2,092	29.9 (39)
Crawford	611	63.0 (20)	573	14.7 (63)	449	7.6 (64)	590	4.4	(83)	534	2.1 (82)	1,143	79.4 (87)	1,348	18.8 (7)
Dallas	761	74.0 (4)	712	29.8 (10)	538	14.5 (17)	695	12.1	(26)	686	8.6 (14)	1,259	85.3 (39)	1,524	21.5 (13)
Davis	68	* *	63	* *	53	* *	57	*	*	58	* *	155	95.5 (4)	163	31.3 (44)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



a

(2)

5 / 17 / 10

Run Date:

Page:

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years $\ ^{(3)}$

			Breastfe (f	eeding 6)				Exclu	ısive B	reastfeedi (7)	ng	≤2 Hou Viewin (8)		Smok Hous	
County	Number	Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Brea A Le Mo	ast 3 nths	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		(Ra	ank)		(Rank)		(Rank)		(Rank)
Decatur	212	46.2 (79)	182	24.2 (18)	150	10.7 (40)	173	9.8	(41)	171	8.2 (20)	477	83.4 (61)	493	36.5 (78)
Delaware	187	51.9 (59)	172	12.8 (74)	133	5.3 (72)	168	12.5	(23)	164	7.3 (28)	337	96.7 (3)	387	20.4 (12)
Des Moines	1,110	52.9 (56)	926	12.5 (76)	687	6.1 (68)	935	8.1	(54)	872	3.9 (69)	1,650	83.6 (59)	2,219	32.0 (48)
Dickinson	186	58.1 (37)	151	19.9 (32)	106	12.3 (24)	136	15.4	(12)	139	10.1 (8)	282	83.7 (55)	367	29.7 (37)
Dubuque	1,799	44.0 (86)	1,616	15.4 (60)	1,169	8.9 (57)	1,549	11.1	(34)	1,538	5.3 (49)	3,138	97.0 (1)	3,628	12.7 (2)
Emmet	249	51.0 (62)	232	17.7 (49)	157	10.2 (45)	209	4.8	(79)	220	0.9 (85)	454	82.8 (65)	530	24.5 (21)
Fayette	354	56.2 (42)	316	18.7 (40)	242	9.1 (56)	302	13.9	(19)	304	8.6 (14)	623	85.6 (37)	707	37.5 (85)
Floyd	282	45.4 (82)	258	18.2 (44)	219	11.4 (36)	227	7.5	(63)	238	4.6 (56)	513	80.7 (80)	599	38.6 (88)
Franklin	264	48.9 (72)	218	22.5 (22)	164	16.5 (14)	202	4.5	(81)	207	1.9 (84)	502	80.1 (84)	544	26.1 (25)
Fremont	116	44.0 (86)	97	* *	77	* *	101	5.9	(77)	94	* *	182	76.9 (94)	240	33.8 (65)
Greene	171	52.0 (58)	155	11.6 (81)	120	9.2 (54)	151	6.6	(73)	152	2.6 (80)	315	84.8 (42)	377	30.8 (43)
Grundy	65	* *	59	* *	40	* *	52	*	*	57	* *	133	91.7 (7)	139	32.4 (53)
Guthrie	111	59.5 (30)	103	13.6 (70)	69	* *	100	6.0	(76)	103	5.8 (44)	184	83.7 (55)	233	31.3 (44)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Children Aged < 5 Years (3)

Page: Run Date:

(2)

5 / 17 / 10

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County

Comparison of Breastfeeding, TV Viewing, and Smoking in Household

			Breastfe (6	•				Exclus	sive Bı	reastfeedii (7)	ng	≤2 Hould Viewing (8)	g/Day	Smok Hous	
County	Number	Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Breas At Lea 3 Mon	stfed t ast oths	Number	Breastfed At Least 6 Months	Number	%	Number	% (Dords)
		(Rank)		(Rank)		(Rank)		(Rar			(Rank)		(Rank)		(Rank)
Hamilton	304	50.3 (68)	276	19.6 (33)	206	9.2 (54)	244	7.0	(71)	258	4.3 (60)	551	78.2 (92)	637	37.5 (85)
Hancock	127	44.9 (83)	115	19.1 (37)	98	* *	96	*	*	107	10.3 (5)	267	85.0 (40)	290	36.6 (81)
Hardin	303	48.5 (74)	264	17.4 (51)	219	11.0 (38)	238	8.0	(56)	245	4.5 (57)	508	82.9 (64)	637	19.5 (10)
Harrison	202	61.9 (24)	184	12.5 (76)	137	5.8 (70)	187	17.6	(6)	175	6.3 (38)	326	80.7 (80)	408	36.5 (78)
Henry	332	59.3 (33)	308	17.5 (50)	233	12.0 (27)	280	14.6	(15)	291	7.6 (27)	620	84.8 (42)	690	29.4 (35)
Howard	163	71.2 (6)	145	31.0 (6)	117	9.4 (53)	145	17.9	(5)	140	9.3 (12)	288	88.5 (17)	342	32.2 (51)
Humboldt	166	54.2 (52)	152	27.0 (14)	118	21.2 (5)	134	7.5	(63)	139	6.5 (36)	396	84.1 (50)	406	23.4 (17)
Ida	139	58.3 (35)	132	11.4 (83)	98	* *	114	7.9	(58)	122	4.1 (67)	237	86.1 (35)	317	42.9 (97)
lowa	145	64.1 (15)	143	30.1 (9)	124	21.0 (6)	119	18.5	(4)	120	10.8 (2)	267	83.9 (53)	349	19.2 (9)
Jackson	234	47.9 (75)	232	12.5 (76)	168	7.1 (65)	222	9.9	(40)	224	4.5 (57)	67	* *	531	33.7 (63)
Jasper	579	50.6 (66)	465	16.8 (53)	360	11.7 (29)	479	10.2	(38)	430	6.7 (34)	1,028	84.8 (42)	1,203	31.4 (46)
Jefferson	263	55.1 (49)	227	20.7 (28)	186	10.2 (45)	215	14.0	(17)	217	8.3 (17)	518	91.5 (8)	563	31.8 (47)
Johnson	1,826	69.0 (7)	1,469	32.0 (4)	1,190	20.8 (7)	1,343	18.6	(3)	1,333	10.6 (3)	2,596	81.5 (73)	3,847	11.4 (1)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

(2)

5 / 17 / 10

		Comp	arison	of Breas	stfeedi	ng, TV Vi	iewing	, and	d Sm	oking i	n Housel	nold (4,	5)		
			Breastfe	eeding 6)				Exclu	ısive B	reastfeedi	ng	≤2 Hou Viewin		Smok Hous	
County	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)	Number	Brea A Le Mo	% ustfed ut ast ast nths ank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% (Rank)	Number	% (Rank)
Jones	222	52.7 (57)	194	17.0 (52)	146	9.6 (51)	187	10.7		186	5.4 (47)	437	96.8 (2)	467	16.5 (6)
Keokuk	92	* *	92	* *	72	* *	86	*	*	88	* *	207	93.2 (5)	225	46.7 (99)
Kossuth	214	47.2 (76)	165	20.6 (29)	138	18.8 (10)	150	12.0	(28)	150	8.7 (13)	395	80.5 (83)	458	32.8 (57)
Lee	741	50.5 (67)	633	10.9 (84)	500	4.0 (77)	643	7.6	(61)	597	3.5 (73)	1,143	87.0 (27)	1,496	34.5 (68)
Linn	3,908	56.4 (40)	3,293	16.8 (53)	2,442	9.7 (49)	3,042	9.6	(43)	3,082	5.2 (52)	4,313	86.5 (31)	7,696	28.9 (32)
Louisa	218	66.5 (12)	199	25.6 (17)	177	16.4 (15)	185	4.3	(85)	180	2.2 (81)	446	84.5 (45)	511	25.8 (24)
Lucas	201	44.8 (84)	220	11.8 (80)	174	4.6 (76)	198	8.6	(50)	213	3.8 (71)	479	80.8 (79)	466	36.5 (78)
Lyon	130	68.5 (10)	129	30.2 (7)	104	11.5 (33)	111	16.2	(8)	116	10.3 (5)	224	90.6 (11)	306	29.4 (35)
Madison	206	55.3 (47)	192	26.6 (15)	142	19.0 (8)	179	12.8	(22)	180	6.1 (40)	415	85.5 (38)	449	35.4 (72)
Mahaska	490	40.8 (89)	438	18.0 (46)	341	11.7 (29)	424	9.7	(42)	416	7.7 (24)	907	81.4 (74)	1,008	38.9 (90)
Marion	573	60.0 (29)	519	18.9 (38)	408	12.5 (23)	472	12.1	(26)	499	8.0 (21)	1,181	81.9 (68)	1,233	32.0 (48)
Marshall	1,449	63.5 (16)	1,218	21.6 (25)	1,009	11.7 (29)	1,215	4.4	(83)	1,152	2.8 (79)	2,942	79.0 (88)	3,110	13.7 (4)
Mills	203	53.7 (53)	183	18.6 (41)	151	13.2 (21)	181	15.5	(11)	169	7.7 (24)	339	87.3 (24)	423	28.8 (31)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



lowa

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years $^{(3)}$

Page: Run Date: 5

5 / 17 / 10

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	, and	d Sm	oking i	n Housel	nold (4,5	5)		
			Breastfe	eeding 6)				Exclu	ısive B	reastfeedii (7)	ng	≤2 Hou Viewin		Smok Hous	ing in ehold
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Brea Le Mo	% stfed at ast 3 nths	Number	Breastfed At Least 6 Months	Number	% (Dark)	Number	%
		(Rank)		(Rank)		(Rank)		•	ank)		(Rank)		(Rank)		(Rank)
Mitchell	111	59.5 (30)	90	* *	76	* *	87	*	*	85	* *	185	90.3 (14)	216	35.6 (74)
Monona	147	55.1 (49)	139	12.9 (72)	112	3.6 (78)	145	11.7	(30)	133	8.3 (17)	406	87.9 (22)	405	40.2 (93)
Monroe	159	44.7 (85)	160	15.0 (61)	130	5.4 (71)	139	9.4	(45)	155	5.8 (44)	338	82.0 (67)	361	39.3 (92)
Montgomery	242	50.8 (65)	216	11.6 (81)	155	6.5 (67)	224	9.4	(45)	208	5.3 (49)	509	78.8 (89)	561	32.8 (57)
Muscatine	1,248	68.9 (8)	1,123	32.0 (4)	888	25.2 (2)	1,055	7.1	(70)	1,050	4.3 (60)	2,246	87.4 (23)	2,605	33.4 (61)
O Brien	249	60.6 (26)	232	28.4 (11)	188	18.6 (11)	202	13.4	(20)	217	8.3 (17)	443	83.3 (62)	531	26.6 (27)
Osceola	99	* *	97	* *	68	* *	86	*	*	90	* *	185	81.1 (77)	203	25.1 (23)
Page	407	41.0 (88)	343	13.7 (69)	269	7.8 (63)	366	9.3	(47)	332	6.9 (32)	626	81.0 (78)	777	28.4 (30)
Palo Alto	169	60.4 (28)	156	20.5 (30)	114	7.9 (62)	134	11.9	(29)	143	8.4 (16)	267	87.3 (24)	333	35.1 (71)
Plymouth	309	58.3 (35)	279	14.3 (65)	227	10.1 (47)	260	14.2	(16)	263	8.0 (21)	452	83.8 (54)	641	32.9 (60)
Pocahontas	104	51.0 (62)	95	* *	77	* *	84	*	*	92	* *	200	86.5 (31)	227	32.2 (51)
Polk	8,998	65.8 (14)	7,234	23.3 (20)	5,973	13.9 (19)	6,714	7.4	(65)	6,894	4.3 (60)	9,337	76.8 (95)	16,782	21.9 (14)
Pottawatta	2,466	46.1 (80)	2,190	12.7 (75)	1,652	8.5 (58)	2,008	6.5	(74)	2,018	3.3 (74)	4,357	80.7 (80)	5,227	29.0 (34)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- 8) Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years (3)

Page: Run Date:

5 / 17 / 10

			Breastfe	eding 3)				Exclu	ısive B	reastfeedi (7)	ng	≤2 Hou Viewing (8)	g/Day	Smok Hous	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Brea A Le Mo	% astfed at ast ast anths	Number	Breastfed At Least 6 Months	Number	%	Number	%
		(Rank)		(Rank)		(Rank)		•	ank)		(Rank)		(Rank)		(Rank)
Poweshiek	330	50.9 (64)	273	17.9 (48)	199	10.6 (41)	275	5.5	(78)	257	4.3 (60)	569	86.6 (29)	666	33.8 (65)
Ringgold	67	* *	62	* *	44	* *	59	*	*	60	* *	168	86.3 (33)	166	41.0 (94)
Sac	110	56.4 (40)	113	16.8 (53)	71	* *	111	7.2	(67)	112	5.4 (47)	201	81.6 (71)	245	32.7 (55)
Scott	3,894	48.9 (72)	3,371	14.1 (67)	2,691	8.2 (60)	3,616	8.2	(53)	3,224	4.2 (66)	6,564	84.5 (45)	8,064	34.6 (69)
Shelby	196	57.7 (39)	181	14.4 (64)	124	11.3 (37)	180	10.6	(37)	169	7.1 (30)	328	91.5 (8)	430	38.8 (89)
Sioux	686	74.1 (3)	629	30.2 (7)	526	17.5 (12)	568	16.7	(7)	576	9.4 (11)	1,323	87.3 (24)	1,578	19.5 (10)
Story	1,371	66.5 (12)	1,088	34.0 (2)	871	23.1 (3)	940	15.3	(13)	977	10.3 (5)	1,728	81.2 (75)	2,712	16.1 (5)
Tama	354	62.7 (23)	291	23.4 (19)	235	14.0 (18)	293	9.6	(43)	276	5.8 (44)	682	73.3 (96)	754	24.0 (19)
Taylor	120	53.3 (54)	108	18.5 (42)	91	* *	101	6.9	(72)	101	5.9 (43)	256	79.7 (86)	276	24.3 (20)
Union	343	51.3 (60)	304	19.4 (34)	246	12.2 (25)	279	11.1	(34)	281	6.0 (42)	679	83.5 (60)	764	37.6 (87)
Van Buren	82	* *	68	* *	49	* *	63	*	*	64	* *	172	90.7 (10)	171	42.7 (96)
Wapello	1,452	49.5 (71)	1,295	16.1 (58)	1,024	9.7 (49)	1,191	7.2	(67)	1,222	4.3 (60)	2,377	90.6 (11)	2,971	24.5 (21)
Warren	598	66.7 (11)	562	20.3 (31)	448	11.8 (28)	498	12.9	(21)	543	7.7 (24)	524	86.6 (29)	1,311	29.7 (37)

- (1) Reporting period is January 1 through December 31.
- (2) TV Viewing and Smoking in Household data are not reported by all contributors.
- (3) Analyses based on one record per child.
- (4) Excludes records with unknown data or errors.
- (5) Rank compares this county's rate to other counties. Rank 1 = best rate.
- (6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.
- (7) The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.
- Children aged 2 years and older included in the analyses.
- Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.



on Surveillance (1) Run Date:

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by County Children Aged < 5 Years $^{(3)}$

(2)

5 / 17 / 10

Page:

		Comp	arison	of Breas	stfeedi	ng, TV Vi	ewing	, and	d Sm	oking i	n Housel	nold (4,	5)			
			Breastfe	•				Exclu	ısive B	reastfeedi (7)	ng	≤2 Hou Viewin (Smoki House	•	
County	Number	% Ever Breastfed	Number	% Breastfed At Least 6 Months	Number	% Breastfed At Least 12 Months	Number	Brea A Le	% astfed At ast ast anths	Number	% Breastfed At Least 6 Months	Number	%	Number	%	
		(Rank)		(Rank)		(Rank)		(Ra	ank)		(Rank)		(Rank)		(Rank	:)
Washington	235	63.0 (20)	173	16.8 (13)	193	8.8	(49)	201	4.0 (68)	426	81.9 (68)	531	30.1 (41)		
Wayne	129	55.8 (43)	127	15.0 (61)	99	* *	115	7.8	(60)	120	5.0 (53)	244	83.2 (63)	270	28.9 (32)
Webster	1,023	45.9 (81)	921	16.6 (56)	723	8.0 (61)	840	7.6	(61)	851	4.3 (60)	1,889	86.2 (34)	2,131	35.7 (76)
Winnebago	201	49.8 (70)	170	18.8 (39)	137	9.5 (52)	149	10.1	(39)	154	7.8 (23)	363	83.7 (55)	412	36.7 (82)
Winneshiek	217	74.7 (2)	203	34.0 (2)	155	21.3 (4)	181	26.0	(1)	182	15.9 (1)	425	88.0 (20)	486	26.5 (2	26)
Woodbury	3,445	55.6 (44)	2,899	14.0 (68)	2,234	8.5 (58)	2,899	4.7	(80)	2,682	2.9 (78)	5,529	84.0 (52)	7,124	23.9 (18)
Worth	53	* *	47	* *	33	* *	42	*	*	43	* *	92	* *	110	32.7 (55)
Wright	355	58.0 (38)	325	28.3 (12)	264	18.9 (9)	286	4.5	(81)	302	2.0 (83)	697	82.4 (66)	758	27.8 (2	29)
Unknown Counties	3	* *	3	* *	1	* *	3	*	*	3	* *	2	* *	8	*	*
lowa	60,473	57.3	52,473	19.4	41,196	11.7	49,793	9	.3	49,399	5.3	93,181	83.8	124,217	27.1	



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ TV Viewing and Smoking in Household data are not reported by all contributors.

⁽³⁾ Analyses based on one record per child.

⁽⁴⁾ Excludes records with unknown data or errors.

⁽⁵⁾ Rank compares this county's rate to other counties. Rank 1 = best rate.

⁽⁶⁾ Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

⁽⁷⁾ The analysis includes infants who were ever breastfed and who turned that age during the reporting period by/on their date of visit.

⁸⁾ Children aged 2 years and older included in the analyses.

^{*} Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.