Iowa Environmental Public Health Tracking Network

Nationally Consistent Data Measures for Cancer

Cancer of the Larynx

Presented below are data that represent the nationally consistent data measures related to Cancer of the Larynx for Iowans of all ages:

1. Annual and Five year case counts and Age-adjusted incidence rates for Cancer of the Larynx at the State level.

Year(s)	Cases	Age Adj Rate per 100,000 population
2004	136	4.1
2005	142	4.2
2006	141	4.3
2007	137	4.0
2008	145	4.1
2004-2008	701	4.1



Report Generated: 4/9/2012

Iowa Environmental Public Health Tracking Network

2. Five year case counts and Age-adjusted incidence rates for Cancer of the Larynx at the County level displayed by Public Health Region.

Region 1

Region 1: 5 year incidence of Larynx Cancer 2004-2008		
County	**Cases**	**Age Adj Rate per 100,000 population**
Boone	9	5.6
Calhoun	<5	Suppressed
Carroll	<5	Suppressed
Dallas	7	3.5
Greene	5	7.5
Grundy	<5	Suppressed
Hamilton	5	4.1
Hardin	5	4.3
Jasper	18	7.9
Marshall	<5	Suppressed
Polk	82	4.3
Poweshiek	<5	Suppressed
Story	7	1.9
Tama	6	4.8
Warren	14	5.9
Webster	17	7.1
State of Iowa	701	4.1



Report Generated: 4/9/2012

Iowa Environmental Public Health Tracking Network

Region 2

Region 2: 5 year incidence of Larynx Cancer 2004-2008		
County	**Cases**	**Age Adj Rate per 100,000 population**
Allamakee	5	5.3
Bremer	<5	Suppressed
Butler	<5	Suppressed
Cerro Gordo	8	2.8
Chickasaw	6	7.4
Emmet	<5	Suppressed
Fayette	<5	Suppressed
Floyd	<5	Suppressed
Franklin	<5	Suppressed
Hancock	<5	Suppressed
Howard	<5	Suppressed
Humboldt	<5	Suppressed
Kossuth	<5	Suppressed
Mitchell	6	8.2
Winnebago	<5	Suppressed
Winneshiek	<5	Suppressed
Worth	<5	Suppressed
Wright	7	8.4
State of Iowa	701	4.1



Report Generated: 4/9/2012

Iowa Environmental Public Health Tracking Network

Region 3

Region 3: 5 year incidence of Larynx Cancer 2004-2008		
County	**Cases**	**Age Adj Rate per 100,000 population**
Buena Vista	<5	Suppressed
Cherokee	<5	Suppressed
Clay	<5	Suppressed
Crawford	9	8.9
Dickinson	<5	Suppressed
Ida	<5	Suppressed
Lyon	<5	Suppressed
Monona	<5	Suppressed
Obrien	<5	Suppressed
Osceola	<5	Suppressed
Palo Alto	<5	Suppressed
Plymouth	7	5.4
Pocahontas	<5	Suppressed
Sac	6	7.7
Sioux	<5	Suppressed
Woodbury	22	4.2
State of Iowa	701	4.1



Report Generated: 4/9/2012

Iowa Environmental Public Health Tracking Network

Region 4

Region 4: 5 year incidence of Larynx Cancer 2004-2008		
County	**Cases**	**Age Adj Rate per 100,000 population**
Adair	<5	Suppressed
Adams	<5	Suppressed
Audubon	<5	Suppressed
Cass	<5	Suppressed
Clarke	<5	Suppressed
Decatur	<5	Suppressed
Fremont	<5	Suppressed
Guthrie	6	7.3
Harrison	<5	Suppressed
Madison	7	8.3
Mills	<5	Suppressed
Montgomery	<5	Suppressed
Page	5	4.5
Pottawattamie	20	4.0
Ringgold	<5	Suppressed
Shelby	<5	Suppressed
Taylor	<5	Suppressed
Union	<5	Suppressed
State of Iowa	701	4.1



Report Generated: 4/9/2012

Iowa Environmental Public Health Tracking Network

Region 5

Region 5: 5 year incidence of Larynx Cancer 2004-2008		
County	**Cases**	**Age Adj Rate per 100,000 population**
Appanoose	6	7.2
Davis	<5	Suppressed
Des Moines	14	5.6
Henry	5	3.9
Jefferson	<5	Suppressed
Keokuk	<5	Suppressed
Lee	12	5.2
Louisa	<5	Suppressed
Lucas	5	7.6
Mahaska	5	3.7
Marion	12	6.2
Monroe	5	9.2
Muscatine	13	5.4
Van Buren	<5	Suppressed
Wapello	10	4.5
Washington	<5	Suppressed
Wayne	<5	Suppressed
State of Iowa	701	4.1



Report Generated: 4/9/2012

Iowa Environmental Public Health Tracking Network

Region 6

Region 6: 5 year incidence of Larynx Cancer 2004-2008		
County	**Cases**	**Age Adj Rate per 100,000 population**
Benton	8	5.2
Black Hawk	28	3.9
Buchanan	10	8.8
Cedar	<5	Suppressed
Clayton	5	4.1
Clinton	12	3.9
Delaware	<5	Suppressed
Dubuque	30	5.7
Iowa	<5	Suppressed
Jackson	6	4.6
Johnson	13	2.8
Jones	<5	Suppressed
Linn	47	4.5
Scott	35	4.0
State of Iowa	701	4.1



Report Generated: 4/9/2012

5 Year Incidence of Larynx Cancer: 2004-2008



* Suppressed equals all counts below 5