

2008 Iowa BRFSS County Synthetic Estimates



**Donald H. Shepherd, PhD.
Iowa Dept. of Public Health
Bureau of Health Statistics**

Quit smoking or former smoker is defined as answering "yes" to having smoked at least 100 cigarettes in your entire life but now not smoking cigarettes at all.

Synthetic Estimates of Risk Factors for Counties From Iowa's BRFSS Data 2008				
County	Percent Reporting Binge Drinking	Percent Engaged in Heavy Drinking	Percent Who Currently Smoke	Percent Who Have Quit Smoking
-----	-----	-----	-----	-----
Adair	17.9	5.1	17.4	26.7
Adams	17.7	5.1	17.5	26.9
Allamakee	19.1	5.3	18.2	26.0
Appanoose	18.4	5.2	17.8	26.3
Audubon	17.3	5.1	17.3	26.6
Benton	20.3	5.5	18.9	24.5
Black Hawk	20.8	5.6	19.0	23.4
Boone	19.7	5.4	18.5	25.0
Bremer	19.6	5.4	18.5	24.6
Buchanan	19.9	5.4	18.7	25.0
Buena Vista	19.8	5.4	18.5	24.6
Butler	18.3	5.2	17.8	26.4
Calhoun	18.2	5.2	17.5	26.8
Carroll	18.6	5.2	17.8	25.6
Cass	17.8	5.1	17.5	26.5
Cedar	19.3	5.4	18.5	25.4
Cerro Gordo	18.8	5.2	18.1	25.6
Cherokee	17.6	5.1	17.4	27.0
Chickasaw	18.7	5.3	18.1	26.0
Clarke	19.4	5.3	18.3	25.5
Clay	18.8	5.2	18.0	26.0
Clayton	18.7	5.3	17.9	26.3
Clinton	19.3	5.4	18.4	25.3
Crawford	19.4	5.4	18.4	25.3
Dallas	22.9	5.7	20.1	22.6
Davis	19.4	5.3	18.4	25.5
Decatur	19.5	5.3	18.4	24.3
Delaware	19.5	5.4	18.5	25.1
Des Moines	18.8	5.3	18.2	25.5
Dickinson	17.7	5.1	17.5	26.9
Dubuque	20.0	5.5	18.7	24.5
Emmet	18.9	5.3	17.9	25.7
Fayette	18.5	5.2	17.8	25.9
Floyd	18.2	5.2	17.7	26.3
Franklin	18.6	5.3	17.8	26.2
Fremont	18.1	5.2	17.8	26.5
Greene	17.9	5.1	17.5	26.3
Grundy	18.6	5.3	18.0	25.8
Guthrie	18.6	5.3	18.0	26.3
Hamilton	19.0	5.3	18.2	25.7

Synthetic Estimates of Risk Factors for Counties From Iowa's BRFSS Data 2008				
County	Percent Reporting Binge Drinking	Percent Engaged in Heavy Drinking	Percent Who Currently Smoke	Percent Who Have Quit Smoking
Hancock	18.5	5.3	18.0	26.0
Hardin	18.3	5.2	17.7	25.9
Harrison	19.3	5.3	18.3	25.4
Henry	20.3	5.4	18.8	24.8
Howard	18.4	5.2	17.7	26.4
Humboldt	18.2	5.2	17.7	26.2
Ida	17.8	5.1	17.5	26.6
Iowa	19.1	5.3	18.2	25.5
Jackson	18.9	5.3	18.1	25.9
Jasper	19.7	5.4	18.6	25.4
Jefferson	19.1	5.4	18.6	25.5
Johnson	24.0	5.9	20.6	20.5
Jones	20.6	5.5	18.8	24.9
Keokuk	18.5	5.2	17.9	26.1
Kossuth	17.6	5.2	17.4	26.9
Lee	19.1	5.4	18.4	25.6
Linn	20.8	5.5	19.1	24.1
Louisa	19.9	5.5	18.7	24.8
Lucas	19.4	5.3	18.3	25.6
Lyon	19.0	5.3	18.1	25.6
Madison	20.3	5.5	18.9	24.8
Mahaska	19.9	5.4	18.6	24.8
Marion	20.2	5.5	18.7	24.6
Marshall	19.0	5.4	18.3	25.7
Mills	20.4	5.6	19.2	24.6
Mitchell	18.2	5.2	17.6	26.2
Monona	17.4	5.1	17.2	27.1
Monroe	18.3	5.2	17.8	26.2
Montgomery	17.8	5.1	17.6	26.3
Muscatine	20.6	5.5	19.2	24.4
O'Brien	17.9	5.1	17.4	26.4
Osceola	19.1	5.3	18.1	25.6
Page	19.0	5.3	17.9	26.2
Palo Alto	18.4	5.2	17.6	25.9
Plymouth	19.6	5.4	18.5	25.2
Pocahontas	17.3	5.1	17.2	26.9
Polk	21.2	5.6	19.4	23.6
Pottawattamie	20.3	5.5	18.9	24.5
Poweshiek	19.4	5.4	18.3	24.6
Ringgold	17.0	5.0	16.9	27.4

Synthetic Estimates of Risk Factors for Counties From Iowa's BRFSS Data 2008				
County	Percent Reporting Binge Drinking	Percent Engaged in Heavy Drinking	Percent Who Currently Smoke	Percent Who Have Quit Smoking
Sac	17.3	5.1	17.1	27.0
Scott	20.4	5.5	19.1	24.1
Shelby	18.1	5.2	17.7	26.4
Sioux	20.8	5.5	18.8	23.5
Story	24.0	5.8	20.5	20.0
Tama	18.5	5.2	17.9	25.9
Taylor	18.0	5.2	17.6	26.6
Union	18.5	5.2	17.9	25.9
Van Buren	18.8	5.3	18.0	26.3
Wapello	19.3	5.3	18.3	25.5
Warren	20.7	5.6	19.2	24.0
Washington	19.1	5.3	18.1	25.5
Wayne	17.6	5.1	17.3	26.7
Webster	19.7	5.3	18.5	24.7
Winnebago	18.4	5.2	17.9	25.9
Winneshiek	20.2	5.5	18.6	23.8
Woodbury	20.4	5.5	19.0	24.3
Worth	18.8	5.3	18.1	25.9
Wright	17.9	5.2	17.4	26.7
State Total	20.2	5.4	18.8	24.7